

FURNITURE CATALOGUE

We produce furniture of the highest quality.



TABLE OF CONTENTS

| "MODERN" CLOTHING LOCKERS | 3 |
|--|----|
| "L" MODERN CLOTHING LOCKERS | 5 |
| FIRE STATION LOCKERS | 7 |
| "MODERN" MULTI-COMPARTMENT LOCKERS | 8 |
| SLIM' SCHOOL AND PRESCHOOL LOCKERS | 13 |
| COMPARTMENT LOCKERS FOR CLEAN CLOTHES | 15 |
| COMPARTMENT LOCKERS FOR DIRTY CLOTHES | 16 |
| FOOD LOCKERS | |
| WALL-MOUNTED FOOD LOCKERS | 19 |
| MOBILE PHONE LOCKERS | 21 |
| UTILITY LOCKERS | 22 |
| ROOFS INCLINED AT 30 DEGREES | 23 |
| FIXED BENCHES UNDER THE LOCKER | 24 |
| FIXED BENCHES UNDER THE LOCKER, WITH SHOE SHELF | 25 |
| RETRACTABLE BENCHES UNDER THE LOCKER | 26 |
| RETRACTABLE BENCHES UNDER THE LOCKER, WITH SHOE SHELF | 27 |
| RETRACTABLE BENCHES UNDER THE LOCKER, WITH 2 LOCKERS | 28 |
| BENCH-HEIGHT PLATFORMS UNDER THE LOCKER (new in 2018) | 29 |
| BENCH-HEIGHT PLATFORMS UNDER THE LOCKER, WITH SHOE SHELF (new in 2018) | 30 |
| FREE-STANDING BENCHES | 31 |
| FREE-STANDING BENCHES, WITH SHOE SHELF | 32 |
| BENCHES WITH COAT RACKS | 33 |
| HIGH OFFICE CABINETS | 35 |
| LOW OFFICE CABINETS | 37 |
| OFFICE AND CLOTHING CABINET | 38 |
| DOUBLE OFFICE CABINET | 38 |
| DOUBLE CLOTHING CABINET | 39 |
| OFFICE AND FILE CABINETS | 39 |
| | |

www.techmark.com.pl/en

techmark@techmark.com.pl

Page.



| HEIGHT EXTENSION UNITS FOR OFFICE CABINETS, DOUBLE OFFICE CABINETS, OFFICE AND | |
|--|-----|
| CLOTHING CABINETS, AND OFFICE AND FILES CABINETS | 41 |
| FILE CABINETS | 43 |
| MAP AND PLAN CABINETS | 46 |
| DESKS | 48 |
| TECHBOX METAL BOXES | 55 |
| RECYCLING BINS | 56 |
| SPORT LOCKERS | 59 |
| LIGHT WORKBENCHES | 64 |
| HEAVY-DUTY WORKBENCHES | 66 |
| CUSTOMISED WORKBENCHES | 73 |
| FREE-STANDING WORKSHOP CUPBOARDS | 81 |
| WALL-MOUNTED WORKSHOP CUPBOARDS | 84 |
| WORKSHOP CARTS | 85 |
| WORKSHOP CABINETS | 88 |
| CUSTOM-MADE WORKSHOP CABINETS | 96 |
| WORKSHOP CABINETS FOR CHEMICAL SUBSTANCES | 103 |
| STANDS FOR WORKSHOP CONTAINERS | 105 |
| TYPES OF MOUNTS FOR THE WORKSHOP CABINETS | 107 |
| TYPES OF CONTAINERS FOR THE WORKSHOP FURNITURE | 109 |
| COMPUTER + COMPUTER WITH LCD MONITOR CABINETS | 110 |
| HIGH LAPTOP CABINETS | 113 |
| LAPTOP CARTS | 114 |
| RACKS | 116 |
| MEDICAL CABINETS | 118 |
| WALL-MOUNTED MEDICAL CUPBOARDS | 120 |
| FREE-STANDING MEDICAL CUPBOARDS | 121 |
| MEDICAL DESK | 122 |
| MEDICAL FILE CABINETS | 123 |

Page

www.techmark.com.pl/entechmark@techmark.com.pl

(+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



| "MODERN" CLOTHING LOCKERS | | | | |
|---------------------------|--|--|---|--|
| | Welded structure of the lockers, - specially designed door guarantee high stiffness, - doors provided with modern perforation and a place for ID sticker, - each compartment includes a shelf and a rail with two hooks, - back and side walls of the lockers are provided with openings to couple the lockers with screws. - lockers provided with key-locks with 1-point locking, - lockers made of metal plate, 0.6 mm thick Lockers painted with all RAL colours. Delivered lockers are completely assembled. | | | |
| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADD | ITIONAL DESCRIPTION |
| 1- column | | | | |
| | SzUM 315K1 | 1800 x 315 x 490 | v | Vith 1-point locking |
| | | (16) | v | Vith 3-point locking |
| ħ | SzUM 415K1 | 1800 x 415 x 490 (21) | With 1-point locking | A wall inside the compartment separates PPE from the user's casual |
| | | | With 3-point locking | wear |
| 2- column | 1 | | ſ | |
| 11 | SzUM | 1800 x 600 x 490 | v | Vith 1-point locking |
| 1 | 600K2 | (28) | v | Vith 3-point locking |
| | SzUM 800K2 1800 x 800 x 490 (41) | | With 1-point locking | |
| | | With 3-point locking | A wall inside the compartment separates PPE from the user's casual wear | |

Page

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en techmark@techmark.com.pl



| 3- column | | | | |
|--|--------------------|-----------------------------|----------------------|--|
| | SzUM 885K3 | 1800 x 885 x 490 (40) | V | Vith 1-point locking |
| | SzUM | 1800 x 1185 x | With 1-point locking | A wall inside the compartment separates PPE from the user's casual |
| | 1185K3 (61) | 1185K3 | (3 | With 3-point locking |
| 4- column | | | | |
| and the second sec | SzUM 1800 x 1175 x | With 1-point locking | Vith 1-point locking | |
| | 1175K4 | 490 (53) | V | Vith 3-point locking |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j.

Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| | | "L" MODERN | CLOTHING LOCKERS | | |
|--|--|-------------------------|---|--|--|
| Welded structure of the lockers, | | | | | |
| - specially designed door guarantee high stiffness, | | | | | |
| - doors provided with modern vent grills and a place for ID sticker, | | | | | |
| | - each compartment includes a rail with two hooks, | | | | |
| | - back and | side walls of the locke | ers are provided with openings to couple the lockers with screws. | | |
| | | - lockers prov | vided with key-locks with single-point locking, | | |
| | | | | | |
| | | Le | ockers painted with all RAL colours. | | |
| | | | red lockers are completely assembled. | | |
| | SKU | DIMENSIONS | ADDITIONAL DESCRIPTION | | |
| | | [mm] | | | |
| | | HxWxD | | | |
| 4 | | (WEIGHT [kg]) | | | |
| 1- colur | nn | | | | |
| | | | | | |
| | | | | | |
| | SzLM | 1800 x 300 x 490 | with 1-point locking | | |
| | 300K1/2 | (20) | the point locking | | |
| | | | | | |
| | | | | | |
| | | | | | |
| F. | | | | | |
| | SzLM | 1800 x 400 x 490 | with 1-point locking | | |
| | 400K1/2 | (23) | with 1-point locking | | |
| | | | | | |
| | | | | | |
| 2- column | | | | | |
| - 10 ⁻⁷ | | | | | |
| n i | SzLM | 1800 x 600 x 490 | | | |
| | 600K2/2 | (36) | with 1-point locking | | |
| | 00011272 | (50) | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | SzLM | 1800 x 800 x 490 | | | |
| | 800K2/2 | (39) | with 1-point locking | | |
| | 000112/2 | (33) | | | |
| | | | | | |
| 3- column | | | | | |
| Î I T | | | | | |
| | C 111 | 1000 000 000 | | | |
| | SzLM | 1800 x 900 x 490 | with 1-point locking | | |
| | 900K3/2 | (55) | | | |
| | | | | | |

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

Page **D**

techmark@techmark.com.pl S (+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12 REGON: 470513221



| SzLM 1200K3/2 | 1800 x 1200 x 490 (59) | with 1-point locking |
|------------------|---------------------------|----------------------|
| SzLM1200K4 /2 | 1800 x 1200 x 490 (65) | With 1-point locking |

| LOCKING SYSTEMS AVAILABLE IN MODERN CLOTHING LOCKERS |
|---|
| Double-key lock without Master key |
| Double-key lock with Master key |
| Locking mechanism for padlock |
| Coded lock with 1-point locking (1 pc.) |
| Coded lock with 3-point locking (1 pc.) (not applicable to SzL) |
| Coin-operated lock with 1-point locking (1 pc.) |

| • | OPTIONS AVAILABLE IN MODERN |
|-----------------------------|-----------------------------|
| CLOTHING LOCKERS: | |
| Levelling feet (4 pcs.) | |
| Stands 100 mm high (4 pcs.) | |
| Numbering stickers (1 pc.) | |
| Metal numbering (1 pc.) | |
| Door stop (1 pc.) | |
| Mirror (1 pc.) | |
| Extra metal hook (1 pc.) | |
| Extra plastic hook (1 pc.) | |
| Extra shoe shelf (1 pc.) | (not applicable to SZL) |

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl S (+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12 REGON: 470513221



FIRE STATION LOCKERS

Welded structure of the lockers,

upper security compartment provided with a key-lock with single-point locking,

- main compartment provided with a shelf, a rail and two hooks (one sliding plastic hook on the

rail, one metal hook welded permanently on the side wall)

- top surface of the locker provided with a helmet stand,

- side walls of the lockers are provided with openings to couple the lockers with screws.

Lockers painted with all RAL colours. Delivered lockers are completely assembled.

| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION |
|---|--------------|--|------------------------|
| | SzU/ OSP1 | 1950 x 400 x 550 (16) | |
| İ | SzU/ OSP2 | 1950 x 800 x 550 (27) | |

| ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN FIRE STATION LOCKERS |
|--|
| Levelling feet (4 pcs.) |
| Stands 100 mm high (4 pcs.) |
| Extra metal hook (1 pc.) |
| Extra plastic hook (1 pc.) |
| Extra shoe shelf (1 pc.) |

Page 7

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

owski sp. j. tódzki www.techmark.com.pl/en

techmark@techmark.com.pl



"MODERN" MULTI-COMPARTMENT LOCKERS

- welded structure of the multi-compartment locker, specially designed door guarantee high stiffness,

- doors provided with modern perforation and a place for ID sticker,

- back and side walls of the lockers are provided with openings to couple the lockers with screws.

- lockers provided with key-locks with single-point locking,

- made of metal plate, 0.6 mm thick

Lockers painted with all RAL colours. Delivered lockers are completely assembled.

| | | SKU | DIMENSION S [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION |
|-------------|----------|-----------------|--|--|
| 1 | - Column | | | |
| compartment | | SzSM 2/315K1 | 1800 x 315 x 490 (17) | Each compartment includes a rail and two hooks |
| 2- com | 1 | SzSM 2/415K1 | 1800 x 415 x 490 (19) | |
| compartment | | SzSM 3/315K1 | 1800 x 315 x 490 (18) | |
| 3- com | | SzSM 3/415K1 | 1800 x 415 x 490 (20) | |
| compartment | | SzSM 4/315K1 | 1800 x 315 x 490 (18) | |
| 4- com | | SzSM 4/415K1 | 1800 x 415 x 490 (20) | |

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki



www.techmark.com.pl/en

🖂 techmark@techmark.com.pl



| compartment | | SzSM 5/315K1 | 1800 x 315 x 490 (18) | |
|-----------------|----------------------------|-----------------|-----------------------------|--|
| 5- com | | SzSM 5/415K1 | 1800 x 415 x 490 (20) | |
| compartment | | SzSM 6/315K1 | 1800 x 315 x 490 (18) | |
| 6- com | | SzSM 6/415K1 | 1800 x 415 x 490 (20) | |
| 2 – co | lumn | | | |
| 4 - compartment | | SzSM 2/600K2 | 1800 x 600 x 490 (27) | Each compartment includes a rail and two hooks |
| 4 - COI | - | SzSM 2/800K2 | 1800 x 800 x 490 (32) | Each compartment includes a rail and two hooks |
| nt | | SzSM 3/600K2 | 1800 x 600 x 490 (28) | |
| 6 - compartment | 7 7 7 7 | SzSM 3/800K2 | 1800 x 800 x 490 (33) | |
| 8 - compartment | 7 7 7 7 7 7 7 7 7 7 | SzSM 4/600K2 | 1800 x 600 x 490 (29) | |
| 8 - comp | | SzSM 4/800K2 | 1800 x 800 x 490 (33) | |

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221

Page C



| 10 - compartment | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | SzSM 5/600K2 | 1800 x 600 x 490 (29) | |
|------------------|---|------------------|------------------------------|--|
| 10 - com | | SzSM 5/800K2 | 1800 x 800 x 490 (34) | |
| partment | | SzSM 6/600K2 | 1800 x 600 x 490 (30) | |
| 12 - compartment | | SzSM 6/800K2 | 1800 x 800 x 490 (34) | |
| 3 – co | lumn | Γ | Γ | |
| 6 - compartment | | SzSM 2/885K3 | 1800 x 885 x 490 (39) | Each compartment includes a rail and two books |
| 6 - comp | | SzSM 2/1185K3 | 1800 x 1885 x 490 (45) | Each compartment includes a rail and two hooks |
| - compartment | | SzSM 3/885K3 | 1800 x 885 x 490 (39) | |
| 9 - comp | | SzSM 3/1185K3 | 1800 x 1185 x 490 (47) | |
| partment | | SzSM 4/885K3 | 1800 x 885 x 490 (40) | |
| 12 - compartment | | SzSM 4/1185K3 | 1800 x 1185 x 490 (48) | |

Page 10

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| | | | 1800 x 885 x | |
|------------------|------------------|------------------|------------------------------|--|
| 15 – compartment | | SzSM 5/885K3 | 490 (41) | |
| | | SzSM 5/1185K3 | 1800 x 1185 x 490 (48) | |
| 18 – compartment | | SzSM 6/885K3 | 1800 x 885 x 490 (41) | |
| 18 – com | | SzSM 6/1185K3 | 1800 x 1185 x 490 (49) | |
| 4 – co | lumn | | | |
| 8 – compartment | 1 4 4 4 4 4 4 | SzSM 2/1175K4 | 1800 x 1175 x 490 (60) | Each compartment includes a rail and two hooks |
| 12- | | SzSM 3/1175K4 | 1800 x 1175 x 490 (50) | |
| 16- | | SzSM 4/1175K4 | 1800 x 1175 x 490 (53) | |
| 20- | | SzSM 5/1175K4 | 1800 x 1175 x 490 (56) | |
| 24- | | SzSM 6/1175K4 | 1800 x 1175 x 490 (58) | |

TECHMARK


L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221

Page 1





LOCKING SYSTEMS AVAILABLE IN MODERN MULTI-COMPARTMENT LOCKERS

Double-key lock without Master key

Double-key lock with Master key

Locking mechanism for padlock

Coded lock with 1-point locking (1 pc.)

Coin-operated lock with single-point locking (1 pc.)

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN MODERN MULTI-**COMPARTMENT LOCKERS:**

UV printing (with modern perforation) (1 door)

Levelling feet (4 pcs.)

Stands 100 mm high (4 pcs.)

Numbering sticker (1 pc.)

Metal numbering (1 pc.)

Door stop (1 pc.)

Mirror (1 pc.)

Extra metal hook (1 pc.)

Extra plastic hook (1 pc.)

Extra shoe shelf (1 pc.)

Extra book shelf (1 pc.)

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



| 'SLIM' SCHOOL AND PRESCHOOL LOCKERS | | | | | | |
|--|--|----------------------|---|--|--|--|
| Welded structure of the lockers, lockers made on 0,6mm thick steel | | | | | | |
| | | - specially designed | l door guarantee high stiffness, | | | |
| | - 6 | each compartment i | includes a rail and 2 plastic hooks | | | |
| | | - modern | perforation on doors, | | | |
| | - back and side wall | s of the lockers are | provided with openings to couple the lockers with screws, | | | |
| | - | lockers locked with | a key lock with 1-point blocking | | | |
| | | • | ted with all RAL colours. s are completely assembled. | | | |
| | SKU DIMENSIONS[m m] ADDITIONAL DESCRIPTION (WEIGHT [kg]) | | | | | |
| 1 –column | | | | | | |
| ttment | SzSSL 2/260K1/1500 | 1500 x 260 x 400 | Door clearance[mm] 690 H x 177 W | | | |
| 2- compartment | SzSSL 2/260K1/1800 | 1800 x 260 x 400 | Door clearance[mm] 840 H x 177 W | | | |
| 2 – column | | | | | | |
| ttment | SzSSL 2/495K2/1500 | 1500 x 495 x 400 | Door clearance[mm] 690 H x 177 W | | | |
| 4- compartme | SzSSL 2/495K2/1800 | 1800 x 495 x 400 | Door clearance[mm] 840 H x 177 W | | | |
| 3 – column | 3 – column | | | | | |
| 6- compartment | SzSSL 2/730K3/1500 | 1500 x 730 x 400 | Door clearance[mm] 690 H x 177 W | | | |
| compa | SzSSL 2/730K3/1800 | 1800 x 730 x 400 | Door clearance[mm] 840 H x 177 W | | | |

www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



| 4 – col | 4 – column | | | | | | |
|--------------------|------------|-------------------------------------|----------------------|----------------------------------|--|--|--|
| - rtment | 7777 | SzSSL 2/965K4/1500 | 1500 x 965 x 400 | Door clearance[mm] 690 H x 177 W | | | |
| 8- compartment | | SzSSL 2/965K4/1800 1800 x 965 x 400 | | Door clearance[mm] 840 H x 177 W | | | |
| 5 – col | 5 – column | | | | | | |
| - tment | | SzSSL 2/1200K5/1500 | 1500 x 1200 x 400 | Door clearance[mm] 690 H x 177 W | | | |
| 10- compartment | | SzSSL 2/1200K5/1800 | 1800 x 1200 x 400 | Door clearance[mm] 840 H x 177 W | | | |

LOCKING SYSTEMS AVAILABLE IN THE 'SLIM' SCHOOL AND PRE-SCHOOL LOCKERS:

Double-key lock without Master key

Double-key lock with Master key

Locking mechanism for padlock

Coded lock with 1-point locking (1 pc.)

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN 'SLIM':

UV printing (with modern perforation) (1 door)

Levelling feet (4 pcs.)

Stands 100 mm high (4 pcs.)

Numbering stickers (1 pc.)

Metal numbering (1 pc.)

Door stop (1 pc.)

Mirror (1 pc.)

Extra metal hook (1 pc.)

Extra plastic hook (1 pc.)

Extra shoe shelf (1 pc.)

Page 🛛

www.techmark.com.pl/entechmark@techmark.com.pl



| COMPARTMENT LOCKERS FOR CLEAN CLOTHES | | | | | |
|---------------------------------------|-------|-------------|--|--|--|
| | | | oor frame opens compartment is l - each com | tructure of the compartment lockers for clean clothes, s all compartments at one go, it is locked with a key-lock with Master key and 1-point locking, ocked with a change key with 1-point locking, being a part of master keying system, partment door is provided with a place for an identifier. <i>Lockers painted with all RAL colours.</i> Delivered lockers are completely assembled. | |
| | | SKU | DIMENSION S [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | |
| | olumn | | | | |
| 5- compart ment | 1111 | SzC 5K1 | 1970 x 420 x 410 (37) | | |
| 10 - 10compart ment | | SzC 10K1 | 1970 x 420 x 410 (35) | | |
| 2- 0 | olumn | | | | |
| 10 – compartme nt | 1114 | SzC 5K2 | 1970 x 751 x 410 (55) | | |
| 20 – compartme nt | | SzC 10K2 | 1970 x 751 x 410 (50) | | |
| 24 – compartme nt | | SzC 12K2 | 1970 x 751 x 410 (49) | | |

 $_{\rm Page}15$

TECHMARK L. Ogłoza, S. Zd

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



COMPARTMENT LOCKERS FOR DIRTY CLOTHES

Welded structure of the compartment lockers for dirty clothes,

- compartment door provided with reinforcement frame, it is locked with a key-lock with Master key

and 1-point locking,

- collector opening with hinged door of 370 mm x 165 mm

- perforated bottom and vent openings on the back wall,

- 4 hooks welded on the inner surface of the walls to hang the laundry sack from the inside,

- adjustable stands of 50 mm,

Lockers painted with all RAL colours. Delivered lockers are completely assembled.

| SKU DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | | ADDITIONAL DESCRIPTION | |
|--|-----------------------------|------------------------|--|
| SzB | 1970 x 420 x 410 (38) | | |

LOCKING SYSTEMS AVAILABLE IN LOCKERS FOR CLEAN AND DIRTY CLOTHES:

Double-key lock without Master key

Double-key lock with Master key

Locking mechanism for padlock

Coded lock with 1-point locking

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN LOCKERS FOR CLEAN AND DIRTY CLOTHES:

Levelling feet (4 pcs.)

Stands 100 mm high (4 pcs.)

Numbering sticker (1 pc.)

Metal numbering (1 pc.)



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



ROOFS INCLINED AT 45 DEGREES FOR LOCKERS WITH CLEAN AND DIRTY CLOTHES

Roof inclined at 45 degrees is an optional element to be used with the lockers for clean and dirty clothes.

The whole roof is made of metal plate and coated with powder paint. The roof is assembled on the locker top to keep the furniture clean.

Roofs can be painted with any RAL colour.

| Our products are covered by 24-months warranty |
|--|
|--|

| SKU | DIMENSIONS [mm] H x W x D | TAILORED TO THE FOLLOWING TYPES OF FURNITURE |
|---------|---|--|
| DSZ 420 | (WEIGHT [kg]) 405 x 420 x 410 (4) | SzC 5K1, SzC 10K1, SzB |
| DSZ 751 | 405 x 751 x 410 (8) | SzC 10K2, SzC 12K2 |

 $_{
m age}17$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

🖂 techmark@techmark.com.pl



| | FOOD LOCKERS | | | | | |
|---------------------|--------------|--|---|---|--|--|
| * | | Welded structure of the compartment food lockers , - each compartment is locked with a change key with 1-point locking, being a part of master keying system, - each compartment door is provided with a place for an identifier, | | | | |
| | | | | ith all RAL colours. completely assembled. | | |
| | | SKU | USEFUL COMPARTMENT DIMENSIONS H x W x D [mm] | | | |
| 1- | column | | | | | |
| 10 - compartme | | SzS 10/420K1 | 1970 x 420 x 300 (28) | 176 x 365 x 276 | | |
| 2- | column | | | | | |
| 18 - compartm | | SzS 9/500K2 | 2000 x 500 x 300 (36) | 197 x 203 x 276 | | |
| 20 - compartment | | SzS 10/751K2 | 1970 x 751 x 300 (42) | 171 x 328 x 276 | | |
| 3- | column | | | | | |
| 27 - compartme | | SzS 9/750K3 | 2000 x 750 x 300 (51) | 196 x 196 x 276 | | |
| 30 - 30compart | | SzS 10/1120K3 | 1970 x 1120 x 300 (59) | 171 x 331 x 276 | | |
| 4- | column | | | | | |
| 36 - 36compart | | SzS 9/800K4 | 2000 x 800 x 300 (68) | 196 x 148 x 276 | | |
| 5- | column | | | | | |
| 45 - compartme | | SzS 9/1000K5 | 2000 x 1000 x 300 (85) | 196 x 148 x 276 | | |

 $_{\rm Page}18$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| WALL-MOUNTED FOOD LOCKERS | | | | | | | |
|---|---|------------------------------|--------------------------------------|--|--|--|--|
| Welded structure of the compartment food lockers , | | | | | | | |
| - each compartment is locked with a change key with 1-point locking, being a part of master | | | | | | | |
| | keying system, | | | | | | |
| | - each compartment door is provided with a place for an identifier, | | | | | | |
| | - back | of the locker is provided wi | th openings to mount it on the wall, | | | | |
| | | - roof inclined at 63 degree | es integrated with the locker. | | | | |
| | | | | | | | |
| | | Lockers painted v | with all RAL colours. | | | | |
| | | Delivered lockers are | completely assembled. | | | | |
| | | | | | | | |
| | SKU | DIMENSIONS [mm] | USEFUL COMPARTMENT DIMENSIONS | | | | |
| | | H x W x D (WEIGHT [kg]) | H x W x D [mm] | | | | |
| 1- column | | | | | | | |
| | | | | | | | |
| 5 – compartme | | 1280 270 200 | | | | | |
| bar | SzS W 5/270K1 | 1280 x 270 x 300 | 194 x 197 x 276 | | | | |
| I 8 | | | | | | | |
| | | | | | | | |
| 2 – column | | | | | | | |
| e e | | | | | | | |
| artr | SzS W 5/510K2 | 1280 x 510 x 300 | 198 x 198 x 276 | | | | |
| 10 – compartme | 515 W 5/510K2 | 1200 x 510 x 500 | 100 x 100 x 270 | | | | |
| | | | | | | | |
| 3 – column | 3 – column | | | | | | |
| 9 | | | | | | | |
| 15 – compartme | | 4200 - 750 - 200 | 100 - 100 - 276 | | | | |
| | SzS W 5/750K3 | 1280 x 750 x 300 | 198 x 198 x 276 | | | | |
| | | | | | | | |
| 4 – column | I | | | | | | |
| U TIT | | | | | | | |
| t d | | | | | | | |
| adr. | SzS W 5/990K4 | 1280 x 990 x 300 | 198 x 198 x 276 | | | | |
| 20 – compartme | | | | | | | |
| 5 – column | I | <u> </u> | l | | | | |
| | | | | | | | |
| 25 – compartme | | | | | | | |
| | SzS W 5/1235K5 | 1280 x 1235 x 300 | 198 x 198 x 276 | | | | |
| 25 – 25 – com | | | | | | | |
| | | | | | | | |

 $_{\text{Page}}19$

www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12
 REGON: 470513221



LOCKING SYSTEMS AVAILABLE IN FOOD LOCKERS:

Double-key lock without Master key

Double-key lock with Master key

Locking mechanism for padlock

Coin-operated lock with 1-point locking (1 pc.)

Coded lock with 1-point locking (1 pc.)

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN FOOD LOCKERS:

Levelling feet (4 pcs.)

Stands 100 mm high (4 pcs.)

Numbering sticker (1 pc.)

Metal numbering (1 pc.)

Perforated back wall (1 compartment)

Frame 650 mm high for SzS W 5/270K1

Frame 650 mm high for SzS W 5/510K2

Frame 650 mm high for SzS W 5/750K3

Frame 650 mm high for SzS W 5/990K4

Frame 650 mm high for SzS W 5/1235K5



TECHMARK L. Ogłoza, S. Zdziechowski sp. j.

Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

🖂 techmark@techmark.com.pl S (+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12 REGON: 470513221



| MOBILE PHONE LOCKERS | | | | | | |
|----------------------|------------------|---|---|--|--|--|
| | | Lockers are to be mounted on the wall. Made of 1 mm thick metal sheet. Each compartment is locked with a separate key with 1-point locking. Lockers are painted with all RAL colours. Delivered lockers are completely assembled. | | | | |
| SKU | | DIMENSIONS [mm] H x W x D (WEIGHT[kg]) | USEFUL COMPARTMENT DIMENSIONS H x W [mm] | | | |
| | SzS T5/440K2 | 780 x 440 x 220 | 127 x 172 | | | |
| | SzS T4/863K4 | 780 x 863 x 220 | 127 x 172 | | | |
| | SzS T5/1499K7 | 780 x 1499 x 220 | 127 x 172 | | | |

Page 21

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

Г

www.techmark.com.pl/entechmark@techmark.com.pl



| UTILITY LOCKERS | | | | | | |
|--|--------------|-----------------------------|---|--|--|--|
| UTILITY LOCKERS Welded structure of utility lockers, - specially designed double door guarantee high stiffness, - doors provided with vents and a place for an identifier, - side walls of the lockers are provided with openings to couple the lockers with screws - doors locked with a key-lock with three-point locking. Lockers painted with all RAL colours. Delivered lockers are completely assembled. SKU DIMENSIONS SKU IMENSIONS MODITIONAL DESCRIPTION | | | | | | |
| | 510 | D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | | |
| E | SzG 600/8 | 1800 x 600 x 490 (42) | | | | |
| | SzG 800/8 | 1800 x 800 x 490 (49) | 4 permanently fixed shelves | | | |
| | SzG 600/0 | 1800 x 600 x 490 (36) | - a locker provided with fragmentary partition and 4 permanently fixed shelves, | | | |
| | SzG 800/0 | 1800 x 800 x 490 (42) | - a holder for cleaning equipment, - a rail with two plastic hooks | | | |
| 1. | SzG 600/9 | 1800 x 600 x 490 (37) | partition divides the locker into two compartments: the left one is | | | |
| | SzG 800/9 | 1800 x 800 x 490 (43) | provided with 4 permanently fixed shelves, whereas the right one is provided with 1 permanently fixed shelf and a rail with hooks | | | |

| LOCKING SYSTEMS AVAILABLE IN UTILITY LOCKERS: | | |
|---|--|--|
| Double-key lock without Master key | | |
| Double-key lock with Master key | | |

Locking mechanism for padlock

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN UTILITY LOCKERS:Levelling feet (4 pcs.)Stands 100 mm high (4 pcs.)Numbering sticker (1 pc.)Metal numbering (1 pc.)Door stop (1 pc.)Mirror (1 pc.)



TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



| ROOFS INCLINED AT 30 DEGREES | | | | |
|--|---|--|--|--|
| Roof inclined at 30 degrees is an optional element to be used with all types of compartment and utility lockers. | | | | |
| | | de of metal plate and coated with powder paint. The roof is ed on the locker top to keep the furniture clean. | | |
| | R | oofs can be painted with any RAL colour. | | |
| | Our p | roducts are covered by 24-months warranty. | | |
| SKU | DIMENSIONS [mm] H x W x D | TAILORED TO THE FOLLOWING TYPES OF FURNITURE | | |
| DSZ 300 | (WEIGHT [kg]) 282 X 300 X 490 (3) | SzU "L" type 300 wide | | |
| DSZ 315 | 282 X 315 X 490 (3) | SzS, SzU 315 wide | | |
| DSZ 400 | 282 X 400 X 490 (4) | SzU "L" type 400 wide | | |
| DSZ 415 | 282 X 415 X 490 (4) | SzS, SzU 415 wide | | |
| DSZ 600 | 282 X 600 X 490 (6) | SzS, SzU, SzU "L" type, SzG 600 wide | | |
| DSZ 800 | 282 X 800 X 490 (8) | SzS, SzU, SzU "L" type, SzG 800 wide | | |
| DSZ 885 | 282 X 885 X 490 (9) | SzS, SzU 885 wide | | |
| DSZ 1175 | 282 X 1175 X 490 (11) SzU 1175 wide | | | |
| DSZ 1185 | 282 X 1185 X 490 (12) | SzS, SzU 1185 wide | | |

 $P_{age}23$

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/entechmark@techmark.com.pl



FIXED BENCHES UNDER THE LOCKER

Benches under the locker are installed on the metal frame suitable to place a locker on its top. The said locker is screwed onto the frame.



Benches are available in a number of options and sizes, with different types of panels. Usually benches are provided with MDF panels; still, wooden varnished panels and PVC panels

in white and grey colour are available at extra charge.

Benches are provided with levelling feet.

Benches frame can be painted with any RAL colour. Our products are covered by 24-months warranty.

| | DIMENSIONS [mm] | |
|-------------|----------------------------|--|
| SKU | H x W x D (WEIGHT [kg]) | TAILORED TO THE FOLLOWING TYPES OF FURNITURE |
| ŁAW ST/300 | 340 X 300 X 800 (6) | SzU "L" type 300 wide |
| ŁAW ST/315 | 340 x 315 x 800 (6) | SzS, SzU 315 wide |
| ŁAW ST/400 | 340 x 400 x 800 (7) | SzU "L" type 400 wide |
| ŁAW ST/415 | 340 x 415 x 800 (8) | SzS, SzU 415 wide |
| ŁAW ST/600 | 340 x 600 x 800 (11) | SzS, SzU, SzU "L" type, SzG 600 wide |
| ŁAW ST/800 | 340 x 800 x 800 (14) | SzS, SzU, SzU "L" type, SzG 800 wide |
| ŁAW ST/885 | 340 x 885 x 800 (16) | SzS, SzU 885 wide |
| ŁAW ST/1175 | 340 x 1175 x 800 (21) | SzU 1175 wide |
| ŁAW ST/1185 | 340 x 1185 x 800 (22) | SzS, SzU 1185 wide |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki


www.techmark.com.pl/en

techmark@techmark.com.pl



FIXED BENCHES UNDER THE LOCKER, WITH SHOE SHELF

Benches under the locker are installed on the metal frame suitable to place a locker on its top. The said locker is screwed onto the frame.



Benches are available in a number of options and sizes, with different types of panels.

Usually benches are provided with MDF panels; still, wooden varnished panels and PVC panels in white and grey colour are available at extra charge.

Benches are provided with levelling feet.

Benches frame can be painted with any RAL colour. Our products are cover with 24-months guarantee.

| SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | TAILORED TO THE FOLLOWING TYPES OF FURNITURE |
|--------------|---|--|
| ŁAW ST/300P | 340 X 300 X 800 (8) | SzU "L" type 300 wide |
| ŁAW ST/315P | 340 x 315 x 800 (8) | SzS, SzU 315 wide |
| ŁAW ST/400P | 340 x 400 x 800 (9) | SzU "L" type 400 wide |
| ŁAW ST/415P | 340 x 415 x 800 (9) | SzS, SzU 415 wide |
| ŁAW ST/600P | 340 x 600 x 800 (13) | SzS, SzU, SzU "L" type, SzG 600 wide |
| ŁAW ST/800P | 340 x 800 x 800 (16) | SzS, SzU, SzU "L" type, SzG 800 wide |
| ŁAW ST/885P | 340 x 885 x 800 (17) | SzS, SzU 885 wide |
| ŁAW ST/1175P | 340 x 1175 x 800 (24) | SzU 1175 |
| ŁAW ST/1185P | 340 x 1185 x 800 (25) | SzS, SzU 1185 wide |



TECHMARK Piotrkowska 10/12

L. Ogłoza, S. Zdziechowski sp. j. 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en 🖂 techmark@techmark.com.pl



RETRACTABLE BENCHES UNDER THE LOCKER

Retractable benches under the locker comprise two elements: - metal frame suitable to place a locker on its top. The said locker is screwed onto the frame. - retractable frame provided with a bench.



Benches are available in a number of options and sizes, with different types of panels: usually benches are provided with MDF panels; still, wooden varnished panels and PVC panels in white and grey colour are available at extra charge.

Benches are provided with levelling feet.

Benches frame can be painted with any RAL colour. Our products are covered by 24-months warranty.

| | DIMENSIONS [mm] | |
|-------------|---|--------------------------------------|
| SKU | H x W x D TAILORED TO THE FOLLOWING TYPES OF FUR (WEIGHT [kg]) | |
| ŁAW WS/300 | 340 X 300 X 800 (9) | SzU "L" type 300 wide |
| ŁAW WS/315 | 340 x 315 x 800 (10) | SzS, SzU 315 wide |
| ŁAW WS/400 | 340 x 400 x 800 (12) | SzU "L" type 400 wide |
| ŁAW WS/415 | 340 x 415 x 800 (10) | SzS, SzU 415 wide |
| ŁAW WS/600 | 340 x 600 x 800 (18) | SzS, SzU, SzU "L" type, SzG 600 wide |
| ŁAW WS/800 | 340 x 800 x 800 (24) | SzS, SzU, SzU "L" type, SzG 800 wide |
| ŁAW WS/885 | 340 x 885 x 800 (26) | SzS, SzU 885 wide |
| ŁAW WS/1175 | 340 x 1175 x 800 (35) | SzU 1175 wide |
| ŁAW WS/1185 | 340 x 1185 x 800 (36) | SzS, SzU 1185 wide |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/entechmark@techmark.com.pl



RETRACTABLE BENCHES UNDER THE LOCKER, WITH SHOE SHELF

Retractable benches under the locker comprise two elements: - metal frame suitable to place a locker on its top. The said locker is screwed onto the frame. - retractable frame provided with a bench and shoe shelf with perforated bottom.



Benches are available in a number of options and sizes, with different types of panels: usually benches are provided with MDF panels; still, wooden varnished panels and PVC panels in white and grey colour are available at extra charge.

Benches are provided with levelling feet.

Benches frame can be painted with any RAL colour. Our products are covered by 24-months warranty.

| | DIMENSIONS [mm] | |
|--------------|----------------------------|--|
| SKU | H x W x D (WEIGHT [kg]) | TAILORED TO THE FOLLOWING TYPES OF FURNITURE |
| ŁAW WS/300P | 340 X 300 X 800 (11) | SzU "L" type 300 wide |
| ŁAW WS/315P | 340 x 315 x 800 (11) | SzS, SzU 315 wide |
| ŁAW WS/400P | 340 x 400 x 800 (14) | SzU "L" type 400 wide |
| ŁAW WS/415P | 340 x 415 x 800 (15) | SzS, SzU 415 wide |
| ŁAW WS/600P | 340 x 600 x 800 (20) | SzS, SzU, SzU "L" type, SzG 600 wide |
| ŁAW WS/800P | 340 x 800 x 800 (26) | SzS, SzU, SzU "L" type, SzG 800 wide |
| ŁAW WS/885P | 340 x 885 x 800 (38) | SzS, SzU 885 wide |
| ŁAW WS/1175P | 340 x 1175 x 800 (38) | SzU 1175 wide |
| ŁAW WS/1185P | 340 x 1185 x 800 (39) | SzS, SzU 1185 wide |

 $P_{age}27$

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



RETRACTABLE BENCHES UNDER THE LOCKER, WITH 2 LOCKERS

Retractable benches under the locker, with 2 lockers, comprise two elements: - metal frame suitable to place a locker on its top. The said locker is screwed onto the frame. - retractable frame provided with a bench, to which 2 separately locked shoe lockers with full hinged doors are fixed. Each door is locked with a key-lock.



Benches are available in a number of options and sizes, with different types of panels: usually benches are provided with MDF panels; still, wooden varnished panels and PVC panels in white and grey colour are available at extra charge.

Benches are provided with levelling feet.

Benches frame can be painted with any RAL colour. Our products are covered by 24-months warranty.

| SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | TAILORED TO THE FOLLOWING TYPES OF FURNITURE |
|-------------|---|--|
| ŁAW WS/600B | 340 x 600 x 800 (25) | SzS, SzU, SzU "L" type, SzG 600 wide |
| ŁAW WS/800B | 340 x 800 x 800 (30) | SzS, SzU, SzU "L" type, SzG 800 wide |

PANELS AVAILABLE IN FIXED AND RETRACTABLE BENCHES

MDF panels

Pinewood varnished panels

PVC panels in white or grey colour

BENCHES FOR OTHER TYPES OF LOCKERS ARE CUSTOM MADE TO ORDER.



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/entechmark@techmark.com.pl



BENCH-HEIGHT PLATFORMS UNDER THE LOCKER (new in 2018)

A platform lacking seat to be placed under a locker is made of full steel profiles suitable to place on it a locker. The said locker is screwed onto the platform frame



Platforms are provided with levelling feet.

Platform frame can be painted with any RAL colour. Our products are covered by 24-months warranty.

| SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | TAILORED TO THE FOLLOWING TYPES OF FURNITURE |
|-------------|---|--|
| ŁAW PS/300 | 340 x 300 x 800 (6) | SzU 'L' type 300 wide |
| ŁAW PS/315 | 340 x 315 x 800 (6) | SzS, SzU 315 wide |
| ŁAW PS/400 | 340 x 400 x 800 (7) | SzU 'L' type 400 wide |
| ŁAW PS/415 | 340 x 415 x 800 (8) | SzS, SzU 415 wide |
| ŁAW PS/600 | 340 x 600 x 800 (11) | SzS, SzU, SzU 'L' type, SzG 600 wide |
| ŁAW PS/800 | 340 x 800 x 800 (14) | SzS, SzU, SzU 'L' type, SzG 800 wide |
| ŁAW PS/885 | 340 x 885 x 800 (16) | SzS, SzU 885 wide |
| ŁAW PS/1175 | 340 x 1175 x 800 (21) | SzU 1175 wide |
| ŁAW PS/1185 | 340 x 1185 x 800 (22) | SzS, SzU 1185 wide |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/entechmark@techmark.com.pl



BENCH-HEIGHT PLATFORMS UNDER THE LOCKER, WITH SHOE SHELF (new in 2018)



A platform lacking seat to be placed under a locker is made of full steel profiles suitable to place on it a locker provided with a shoe shelf having perforated bottom. The said locker is screwed onto the platform frame. Shoe shelf with perforated bottom is screwed onto the frame.

Platforms are provided with levelling feet.

Platform frame can be painted with any RAL colour. Our products are covered by 24-months warranty.

| SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | TAILORED TO THE FOLLOWING TYPES OF FURNITURE |
|--------------|---|--|
| ŁAW PSP/300 | 340 x 300 x 800 (6) | SzU "L" type 300 wide |
| ŁAW PSP/315 | 340 x 315 x 800 (6) | SzS, SzU 315 wide |
| ŁAW PSP/400 | 340 x 400 x 800 (7) | SzU 'L' type 400 wide |
| ŁAW PSP/415 | 340 x 415 x 800 (8) | SzS, SzU 415 wide |
| ŁAW PSP/600 | 340 x 600 x 800 (11) | SzS, SzU, SzU 'L' type SzG 600 wide |
| ŁAW PSP/800 | 340 x 800 x 800 (14) | SzS, SzU, SzU 'L' type, SzG 800 wide |
| ŁAW PSP/885 | 340 x 885 x 800 (16) | SzS, SzU 885 wide |
| ŁAW PSP/1175 | 340 x 1175 x 800 (21) | SzU 1175 wide |
| ŁAW PSP/1185 | 340 x 1185 x 800 (22) | SzS, SzU 1185 wide |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



FREE-STANDING BENCHES

| | Free-standing benches are structured on the square metal frame coated with powder paint. | | |
|-------------------|---|--|--|
| | Benches are available in a number of options and sizes, with different types of panels: usually benches are provided with MDF panels; still, wooden varnished panels and plastic panels in grey | | |
| | or white colour are available at extra charge. | | |
| | Benches are provided with levelling feet. | | |
| | Benches frame can be painted with any RAL colour. | | |
| | Our products are covered by 24-months warranty. | | |
| | DIMENSIONS [mm] | | |
| SKU | HxWxD | | |
| | (WEIGHT [kg]) | | |
| | 400 x 600 x 400 | | |
| ŁAW WL/600 | (5) | | |
| | 400 x 900 x 400 | | |
| ŁAW WL/900 | (8) | | |
| LANA/14/14200 | 400 x 1200 x 400 | | |
| ŁAW WL/1200 | (10) | | |
| KANA/ NA/L /1 400 | 400 x 1400 x 400 | | |
| ŁAW WL/1400 | (12) | | |
| LANA 14/1 /1500 | 400 x 1500 x 400 | | |
| ŁAW WL/1500 | (12) | | |
| | 400 x 1600 x 400 | | |
| ŁAW WL/1600 | (13) | | |
| KANA/ NA/L /1000 | 400 x 1800 x 400 | | |
| ŁAW WL/1800 | (15) | | |
| KANA/ M/L /2000 | 400 x 2000 x 400 | | |
| ŁAW WL/2000 | (17) | | |
| | | | |

 $P_{age}31$

TECHMARK L. Ogłoza, S. Zdziechowski sp. j.

Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



| FREE-STANDING BENCHES, WITH SHOE SHELF | | | | |
|--|---|--|--|--|
| Free-standing benches are structured on the square metal frame coated with powder pair | | | | |
| - | Shoe shelf with perforated bottom is fixed to the frame. | | | |
| | Benches are available in a number of options and sizes, with different types of panels: usually | | | |
| | benches are provided with MDF panels; still, wooden varnished panels and plastic panels in grey | | | |
| | or white colour are available at extra charge. | | | |
| | Benches are provided with levelling feet. | | | |
| | Benches frame can be painted with any RAL colour. | | | |
| | Our products are covered by 24-months warranty. | | | |
| | DIMENSIONS [mm] | | | |
| SKU | H x W x D | | | |
| | (WEIGHT [kg]) | | | |
| ŁAW WL/600P | 400 x 600 x 400 (6) | | | |
| | 400 x 900 x 400 | | | |
| ŁAW WL/900P | 400 x 900 x 400 (8) | | | |
| | 400 x 1200 x 400 | | | |
| ŁAW WL/1200P | (10) | | | |
| | 400 x 1400 x 400 | | | |
| ŁAW WL/1400P | (12) | | | |
| | 400 x 1500 x 400 | | | |
| ŁAW WL/1500P | (13) | | | |
| ŁAW WL/1600P | 400 x 1600 x 400 | | | |
| 1AW WL/1000P | (14) | | | |
| ŁAW WL/1800P | 400 x 1800 x 400 | | | |
| | (15) | | | |
| ŁAW WL/2000P | 400 x 2000 x 400 | | | |
| E 112/20001 | (17) | | | |

PANELS AVAILABLE IN FREE-STANDING BENCHES

MDF panels

Pinewood varnished panels

PVC panels in white or grey colour

 ${}^{\rm Page}32$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12
 REGON: 470513221



| | BE | NCHES WI | TH COAT RACKS |
|---------------------------------------|---|---|--|
| A A A A A A A A A A A A A A A A A A A | Benches with coat racks are constructed on the reinforced frame of 25 mm x 25 mm profile. Usually this furniture is provided with durable pinewood varnished panels: - which are 50 mm wide and 20 mm high (applies to ŁAW WO and LAW WOP), - which are 90 mm wide and 20 mm high (applies to ŁAW WOS) | | |
| H | Optional | varnis | e provided with beechwood panels coated with transparent sh or PVC panels in white or grey colour. nches are provided with levelling feet. |
| | F | Delivered ber | h with coat rack can be painted with any RAL colour. aches with coat racks are completely assembled. ducts are covered by 24-months warranty. |
| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION |
| No shelf | 1 | | |
| | ŁAW WO/1650 X 1000 | 1650 X 1000 X 403 (17) | Frame is provided with the following fixed elements: - 2 pinewood panels, |
| | ŁAW WO/1650 X 1500 | 1650 X 1500 X 403 (23) | bench with 5 panels, 6 single metal hooks (in benches 1000 wide), 8 single metal hooks (in benches 1500 wide), 10 single metal hooks (in benches 2000 wide) |
| | ŁAW WO/1650 X 2000 | 1650 X 2000 X 403 (35) | The frame is provided with openings to couple back of 2 benches with screws. |
| With a shelf | | | |
| Transa and | ŁAW WOP/1750 X 1000 | 1750 X 1000 X 403 (19) | Frame is provided with the following fixed elements: - 2 panels forming a back rest, - bench with 5 panels, - a shelf with metal profiles |
| A AA | ŁAW WOP/1750 X 1500 | 1750 X 1500 X 403 (30) | Elements permanently welded to the frame: - 6 single metal hooks (in benches 1000 wide), - 8 single metal hooks (in benches 1500 wide), - 10 single metal hooks (in benches 2000 wide) |

 $_{\text{Page}}33$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

⊠ techmark@techmark.com.pl



| | ŁAW WOP/1750 X 2000 | 1750 X 2000 X 403 (40) | The frame is provided with openings to couple back of 2 benches with screws. | | | | |
|--------|---------------------------|------------------------------|--|--|--|--|--|
| School | | | | | | | |
| | ŁAW WOS/1200 | 1200 X 1200 X 325 (15) | Frame is provided with the following fixed elements: - upper panel onto which 6 double metal hooks are screwed, - single panel forming a back rest, - bench with 3 panels, The frame is provided with openings to couple back of 2 benches with screws. Moreover, additional plates are provided to fasten the furniture to the base surface or the wall. | | | | |
| | ŁAW WOS/1650 | 1650 X 1200 X 430 (24) | Frame is provided with the following fixed elements: - upper panel onto which 8 double metal hooks are screwed, - single panel forming a back rest, - bench with 4 panels, The frame is provided with openings to couple back of 2 benches with screws. Moreover, additional plates are provided to fasten the furniture to the base surface or the wall. | | | | |

PANELS AVAILABLE IN BENCHES WITH COAT RACKS

Pinewood varnished panels

PVC panels

Beechwood panels

ADDITIONAL EQUIPMENT OPTIONS

Anchors to fasten the bench to the base surface (concerns ŁAW/WO and ŁAW/WOP)



TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



| HIGH OFFICE CABINETS | | | | | | | |
|----------------------|---|----------------|---|---|--|--|--|
| | Hinged doors are provided with reinforced inner profile, - doors are provided with internal hinges, giving free access to the furniture interior, - doors are locked with a key lock with a hand wheel, with 3-point locking system <i>Cabinets painted with all RAL colours.</i> <i>Delivered cabinets are completely assembled, still shelves need to be mounted.</i> | | | | | | |
| _ | | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | | |
| No d | loor | SZA 00800/400 | 2000 x 800 x 420 (37) | The cabinet is provided with 4 adjustable shelves. Perforated profiles inside the cabinet are provided to adjust the shelf height every 25 mm. | | | |
| | | SZA 001000/400 | 2000 X 1000 X 420 (42) | | | | |
| | | SZA 001200/400 | 2000 X 1200 X 420 (48) | | | | |
| 1- door | | | | | | | |
| | ALC: NO. | SZA 1D1000/400 | 2000 x 500 x 420 (36) | provided with 4 adjustable shelves. Perforated profiles inside the cabinet are provided to adjust the shelf height every 25 mm. | | | |
| 2- doors | | | | | | | |
| With hinged doors. | | SZA 2D800/400 | 2000 x 800 x 420 (51) | | | | |
| | | SZA 2D1000/400 | 2000 X 1000 X 420 (59) | The cabinet is provided with 4 adjustable shelves. Perforated profiles inside the cabinet are provided to adjust the shelf height every | | | |
| | | SZA 2D1200/400 | 2000 X 1200 X 420 (68) | 25 mm. | | | |
| | | SZA 2D800/312 | 2000 x 800 x 420 (56) | The cabinet is provided with 3 adjustable shelves and a permanently fixed locker with 2 compartments. Each compartment is separately locked with a key-lock. Perforated profiles inside the cabinet are provided to adjust the shelf height every 25 mm. | | | |
| | | SZA 2D1000/312 | 2000 X 1000 X 420 (67) | | | | |
| | | SZA 2D1200/312 | 2000 X 1200 X 420 (73) | | | | |

 $_{Page}35$

www.techmark.com.pl/en

techmark@techmark.com.pl



| ng doors | With sliding doors | SZA DS1000/400 | 2000 X 1000 X 420 (63) | The cabinet is provided with 4 adjustable shelves. Perforated profiles inside the cabinet |
|---------------------------|--------------------|----------------|---------------------------|--|
| With slidi | | SZA DS1200/400 | 2000 X 1200 X 420 (72) | are provided to adjust the shelf height every 25 mm. Sliding doors are provided with flush handle. |
| utter doors | | SZA 2Z1000/400 | 2000 X 1000 X 420 (62) | Double shutter doors made of PVC, drawing aside When open, the doors are completely concealed along the side walls of the cabinet, giving unlimited access to the interior. |
| With roller shutter doors | | SZA 2Z1200/400 | 2000 X 1200 X 420 (71) | Doors are locked with a key-lock. The cabinet is provided with 4 adjustable shelves. Perforated profiles inside the cabinet are provided to adjust the shelf height every 25 mm. |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j.

Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



| | LOW | OFFICE CABINE | TS | |
|---------------------------|-------------------------------------|--|--|--|
| | - doors are prov - doors are loo | linged doors are provided with reinforced inner profile, vided with internal hinges, giving free access to the furniture interior, cked with a key lock with a hand wheel, with 3-point locking system Cabinets painted with all RAL colours. binets are completely assembled, still shelves need to be mounted. | | |
| | ѕки | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | |
| With hinged doors. | | | | |
| 8 | SZA 2D800/200 | 1050 x 800 x 420 (39) | | |
| | SZA 2D1000/200 | 1050 x 1000 x 420 (45) | The cabinet is provided with 2 adjustable shelves. Perforated profiles inside the cabinet are provided to adjust the shelf height every 25 mm. | |
| | SZA 2D1200/200 | 1050 x 1200 x 420 (52) | | |
| With roller shutter doors | | | | |
| | SZA 2Z1200/1200_105 0 | 1050 x 1200 x 450 (42) | Double shutter doors made of PVC, drawing aside When open, the doors are completely concealed along the side walls of the cabinet, giving unlimited access to the interior. Doors are locked with a key-lock. The cabinet is provided with 2 adjustable shelves. Perforated profiles inside the cabinet are provided to adjust the shelf height every 25 mm. | |

Page 3'

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl S (+ 48) 42 712 17 95

NIP (Tax ID): 726-000-22-12 REGON: 470513221



| | OFFICE AND CLOTHING CABINET | | | | | | |
|----------------------|---|---|--|--|--|--|--|
| | g cabinet with hinged doors is divided into two sections: oses is provided with 4 adjustable shelves. Perforated profiles t are provided to adjust the shelf height every 25 mm. poses is provided with 1 permanently fixed shelf and a rail with coat hooks. poors are provided with reinforced inner profile, th internal hinges, giving free access to the furniture interior, n a key lock with a hand wheel, with 3-point locking system. | | | | | | |
| | (| Cabinets painted with all RAL colours. | | | | | |
| | Delivered cabinets ar | e completely assembled, still shelves need to be mounted. | | | | | |
| SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | | | | |
| SZA 2D1000/4U00 (57) | | | | | | | |

| | DOUBLE OF | FICE CABINET |
|-----------------|--|---|
| | - provided with 1 p - below the fixed shelf the which is provided with 4 provide - hinged do - doors are provided with - doors are locked with | ouble office cabinet with double door: ermanently fixed shelf having the width of the cabinet, ere is a partition dividing the cabinet into two sections, each of adjustable shelves. Perforated profiles inside the cabinet are d to adjust the shelves height every 25 mm. pors are provided with reinforced inner profile, th internal hinges, giving free access to the furniture interior, a key lock with a hand wheel, with 3-point locking system. Cabinets painted with all RAL colours. |
| | Delivered cabinets ar | e completely assembled, still shelves need to be mounted. |
| SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION |
| SZA 2D1000/8A00 | 2000 x 1000 x 420 (62) | |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| | DOUBLE CLOT | HING CABINET | | |
|-----------------|--|--|--|--|
| | Dou | ble clothing cabinet with double door: | | |
| | - provided with 1 pe | rmanently fixed shelf having the width of the cabinet, | | |
| | - below the fixed shelf ther | e is a partition dividing the cabinet into two sections, each of | | |
| 10 M | which | is provided with a rail and a coat hook, | | |
| e | - hinged doo | ors are provided with reinforced inner profile, | | |
| | - doors are provided with internal hinges, giving free access to the furniture interior, | | | |
| diar and | - doors are locked with a | a key lock with a hand wheel, with 3-point locking system. | | |
| | Ca | abinets painted with all RAL colours. | | |
| | Delive | ered cabinets are completely assembled. | | |
| | DIMENSIONS [mm] H x W x | | | |
| SKU | D | ADDITIONAL DESCRIPTION | | |
| | (WEIGHT [kg]) | | | |
| SZA 2D1000/2U00 | 2000 x 1000 x 420 | | | |
| JZA 201000/2000 | (52) | | | |

| | OI | FICE AND | FILE CABINETS | | | | |
|---|--|--|------------------------|--|--|--|--|
| 8 | Office and file cabinets are divided into two sections: in the top part of the office cabinet there are adjustable shelves, where 3 rows of A3 file binders can be placed. Perforated profiles located in the middle of this section are provided to adjust the shelves height every 25 mm. Hinged doors in the office section have inner reinforcement profile; the doors are locked with a key lock with a hand wheel, with 3-point locking system. Doors are provided with internal hinges, giving free access to the furniture interior, 2. bottom section of the cabinet provided with file drawers. This section of the cabinet is provided with a special mechanism, so that only one drawer can be open at a time, which consequently prevents the cabinet from falling down. Drawers are mounted on the telescopic ball slides with a stop, which prevents the drawer from falling out of the cabinet. Maximum load for each drawer is 50 kg. | | | | | | |
| | Each drawer has a place for an identifier. Drawers are locked with a single master lock, which locks them simultaneously. | | | | | | |
| | Cabinets painted with all RAL colours. Delivered cabinet is completely assembled, still shelves need to be mounted. | | | | | | |
| | SKU | DIMENSION S [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | | | |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



| drawers | | SzAK 3_1000 | 2000 X 1000 X 420 (90) | In the top section of the office cabinet there are 2 adjustable shelves, where 3 rows of A3 file binders can be placed. | |
|-----------|--|----------------|------------------------------|--|---|
| with 3 dı | | SzAK 3_1200 | 2000 X 1200 X 420 (93) | Bottom section of the cabinet is provided with 2 drawers for horizontal storing of A4 files or suspension files and 1 shallow drawer 215 mm high) for storing other office supplies. | |
| drawers | | SzAK 4_1000 | 2000 X 1000 X 420 (95) | In the top section of the office cabinet there is 1 adjustable shelf. | |
| with 4 c | | SzAk 4_120 | | 2000 x 1200 x 420 (98) | Bottom section of the cabinet is provided with 4 drawers for horizontal storing of A4 files or suspension files or other office supplies. |

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN OFFICE CABINETS, OFFICE AND CLOTHING CABINETS, DOUBLE OFFICE CABINETS, AND OFFICE AND FILES CABINETS

UV printing on the hinged door (1 pc of printing)

Levelling feet (4 pcs.)

Additional shelf with adjustable height



TECHMARK Piotrkowska 10/12

L. Ogłoza, S. Zdziechowski sp. j. 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



HEIGHT EXTENSION UNITS FOR OFFICE CABINETS, DOUBLE OFFICE CABINETS, OFFICE AND CLOTHING CABINETS, AND OFFICE AND FILES CABINETS



Height extension units painted with all RAL colours. Delivered height extension units are completely assembled, still shelves need to be mounted.

| | | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION |
|-------------------|--|---------------------|--|---|
| | | SZN 2D465/800/1 | 465 x 800 x 420 (14) | |
| | | SZN 2D465/1000/1 | | |
| S | | SZN 2D465/1200/1 | 465 X 1200 X 420 (22) | Perforated profiles inside the height extension units are provided to adjust the shelf height every 25 mm. - includes 1 shelf, |
| With hinged doors | | SZN 2D800/800/1 | 800 x 800 x 420 (26) | doors are provided with internal hinges, giving free access to the height extension unit interior, doors are locked with a key lock with a hand wheel, with 3-point locking system. Bottom wall of the height extension unit is provided with openings to screw the unit onto the cabinet |
| | | SZN 2D800/1000/1 | 800 X 1000 X 420 (31) | (screws not included). |
| | | SZN 2D800/1200/1 | 800 x 1200 x 420 (37) | |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki



| With sliding doors | | SZN DS465/1000/1 | 465 X 1000 X 420 (19) | |
|--------------------|--|---------------------|-----------------------------|--|
| | | SZN DS465/1200/1 | 465 X 1200 X 420 (24) | Perforated profiles inside the height extension units are provided to adjust the shelf height every 25 mm. - includes 1 shelf, - metal sliding doors are provided with flush handles, - doors are locked with a key lock, with 1-point locking |
| With slid | | SZN DS800/1000/1 | 800 x 1000 x 420 (33) | system Bottom wall of the height extension unit is provided with openings to screw the unit onto the cabinet (screws not included). |
| | | SZN DS800/1200/1 | 800 x 1200 x 420 (39) | |

ADDITIONAL EQUIPMENT OPTIONS IN HEIGHT EXTENSION UNITS

UV printing on the hinged door (1 pc of printing)

Additional shelf with adjustable height



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12
 REGON: 470513221



| | | FI | LE CABINETS | | | |
|---|---------------|---|--|--|--|--|
| File cabinets are provided with a special mechanism, so that only one drawer can be open at a time, which consequently prevents the cabinet from falling down. drawers are mounted on the fully extendible telescopic ball slides with a stop, which prevent the drawer from falling out of the cabinet. Maximum load for each drawer is 50 kg. Drawers with higher load bearing capacity can be optionally custom made. each drawer has a place for an identifier. Cabinets are locked with a single master lock, which locks all drawers simultaneously. | | | | | | |
| | | Delivered cabine | Cabinets painted with all RAL colours. ts are completely assembled, still shelves need to be mounted. | | | |
| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | | |
| For A4 | • | | | | | |
| | SSK 2/01A4 | 715 x 415 x 630 (19) | For horizontal storing of A4 files or suspension files. Number of rows per drawer: 1 | | | |
| | SSK 2/02A4 | 715 X 775 X 630 (33) | For horizontal storing of A4 files or suspension files. Each drawer is provided with a partition. Number of rows per drawer: 2 | | | |
| | SSK 3/01A4 | 1000 X 415 X 630 (35) | 3 drawers designed for horizontal storing of A4 files or suspension files. Number of rows per drawer: 1 | | | |
| | SSK 4/01A4 | 1285 X 415 X 630 (38) | For horizontal storing of A4 files or suspension files. Number of rows per drawer: 1 | | | |



www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12
 REGON: 470513221



| | SSK 4/02A4 | 1285 X 775 X 630 (64) | For horizontal storing of A4 files or suspension files. Each drawer is provided with a partition. Number of rows per drawer: 2 |
|--------|---------------|-----------------------------|--|
| | SSK 5/01A4 | 1568 X 415 X 630 (42) | 5 drawers designed for horizontal storing of B5 documents (personal holders). Each drawer is provided with a partition. Number of rows per drawer: 1 |
| For A5 | - | | |
| | SSK 5/02A5 | 1285 x 545 x 630 (52) | For horizontal storing of A5 documents. Each drawer is provided with a partition. Number of rows per drawer: 2 |
| For A6 | | | |
| | SSK 8/04A6 | 1285 X 775 X 630 (61) | For horizontal storing of A6 files in four rows. Maximum size of the stored document is 130 mm x 168 mm. Each drawer is provided with 4 partitions. Number of rows per drawer: 4. |

| For B5 | For B5 | | | | | |
|--------|---------------|----------------------------|--|--|--|--|
| | SSK 2/02B5 | 600 x 610 x 630 (18) | Designed for horizontal storing of B5 documents (personal holders). Each drawer is provided with a partition. Number of rows per drawer: 2 | | | |
| | SSK 3/02B5 | 830 x 610 x 630 (26) | 3 drawers designed for horizontal storing of B5 documents (personal holders). Each drawer is provided with a partition. Number of rows per drawer: 2 | | | |

 $_{\rm Page}44$

www.techmark.com.pl/entechmark@techmark.com.pl



| SSK 4/02B5 | 1067 x 610 x 630 (45) | 4 drawers designed for horizontal storing of B5 documents (personal holders). Each drawer is provided with a partition. Number of rows per drawer: 2 |
|---------------|-----------------------------|--|
| SSK 5/01B5 | 1285 x 345 x 630 (41) | 5 drawers designed for horizontal storing of B5 documents. Number of rows per drawer: 1 |
| SSK 5/02B5 | 1285 X 610 X 630 (58) | 5 drawers designed for horizontal storing of B5 documents. Each drawer is provided with a partition. Number of rows per drawer: 2 |
| SSK 6/02B5 | 1514 X 610 X 630 (63) | 6 drawers designed for horizontal storing of B5 documents. Each drawer is provided with 1 partition. Number of rows per drawer: 4 |

| For passport applications | | | | | | |
|---------------------------|----------------|--------------------|---|--|--|--|
| | SSK 03/04КР | 731 x 532 x 630 | Each drawer is suitable for storing passport applications of max. size 180 x 105 mm. Number of rows per drawer: 4 | | | |



TECHMARK Piotrkowska 10/12

L. Ogłoza, S. Zdziechowski sp. j. 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



| | | MAP | AND PLAN CABIN | ETS | | | |
|--------|--|--|---|---|--|--|--|
| | Map and plan cabinets are provided with a special mechanism, so that only one drawer can be open at a time, which consequently prevents the cabinet from falling down. drawers are mounted on the fully extendible telescopic ball slides with a stop, which prevents the drawer from falling out of the cabinet. Maximum load for each drawer is approx. 50 kg. Drawers with higher load bearing capacity can be optionally custom made. Cabinets are locked with a single master lock, which locks all drawers simultaneously. | | | | | | |
| | SKU | DENVEYED COL DIMENSIO NS [mm] H x W x D (WEIGHT [kg]) | | led, still shelves need to be mounted. DITIONAL DESCRIPTION | | | |
| For A0 | | | Γ | | | | |
| | SSK 5/01A0 _445 | 445 X 1338 X 1005 (124) | 5 drawers for horizontal storing of maps and plans | Internal dimensions of drawers: 1249 mm W x 900 mm D x 55 mm H | | | |
| | SSK 5/01A0 _545 | 545 X 1338 X 1005 (128) | in AO size | Internal dimensions of drawers: 1249 mm W x 900 mm D x 75 mm H | | | |
| | SSK 6/01A0 _505 | 505 X 1338 X 1005 (135) | 6 drawers for horizontal | Internal dimensions of drawers: 1249 mm W x 900 mm D x 55 mm H | | | |
| | SSK 6/01A0 _625 | 625 X 1338 X 1005 (139) | storing of maps and plans in A0 size | Internal dimensions of drawers: 1249 mm W x 900 mm D x 75 mm H | | | |
| | SSK 10/01A 0_745 | 745 X 1338 X 1005 (224) | 10 drawers for horizontal | Internal dimensions of drawers: 1249 mm W x 900 mm D x 55 mm H | | | |
| | SSK 10/01A 0_945 | 945 X 1338 X 1005 (235) | storing of maps and plans in A0 size | Internal dimensions of drawers: 1249 mm W x 900 mm D x 75 mm H | | | |
| | SSK 3/01A1 _325 | 325 X 970 X 720 (57) | 3 drawers for horizontal storing of maps and plans in A1 size | Internal dimensions of drawers: 880 mm W x 616 mm D x 55 mm H | | | |

 $_{\text{Page}}46$

www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki



| | SSK 5/01A1 _445 | 445 X 970 X 720 (69) | 5 drawers for horizontal storing of maps and plans in A1 size | |
|--------|------------------------|---------------------------------|---|---|
| | SSK 10/01A 1_745 | 745 X 970 X 720 (146) | 10 drawers for horizontal storing of maps and plans in A1 size | |
| For B1 | r | | | |
| | SSK 5/01B1 _545 | 545 X 1147 X 872 (112) | 5 drawers for horizontal storing of maps, plans and technical documentation in B1 size | |
| | SSK 6/01B1 _625 | 625 X 1147 X 872 (121) | 6 drawers for horizontal storing of maps, plans and technical documentation in B1 size | Internal dimensions of drawers: 75 mm H x 1057 mm W x 768 mm D |
| | SSK 7/01B1 _705 | 705 X 1147 X 872 (132) | 7 drawers for horizontal storing of maps, plans and technical documentation in B1 size | |

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN FILE CABINETS AND MAP AND PLAN CABINETS

Levelling feet (4 pcs.)

Base unit 100 mm high



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12
 REGON: 470513221



| | | DESKS | 5 | | |
|---------------|---|--------------------------|---|--|--|
| | Frames | in the desks and additic | onal units are made of full steel profiles with quadrangle | | |
| | | cross-section | a, and are provided with levelling feet. | | |
| | | Table-tops are 25 | mm thick and are laminated in grey colour. | | |
| | Completely metal containers are provided with drawers, front side of which have flush | | | | |
| | | | dges are mounted on solid telescopic ball slides with a one drawer can be open at a time; they are locked with a master lock. | | |
| | | | Types of containers: | | |
| | • | 2-drawer container (0 | D2) for the table-top of: [H x W x D] 514 mm x 407 mm x | | |
| | | | vith the following useful dimensions: [H x W x D] 135 mm | | |
| | | | and extension of 500 mm, bottom drawer for suspension | | |
| | | files with the following | g useful dimensions: [H x W x D] 280 mm x 327 mm x 718 | | |
| | | | mm and extension of 500 mm. | | |
| | • | 2-drawer container (0 | 2) for additional unit of: [H x W x D] 514 mm x 407 mm x | | |
| | | 578 mm. Top drawer o | of the following useful dimensions: [H x W x D] 135 mm x | | |
| | 327 mm x 500 mm, bottom drawer for suspension files with the following useful dimensions: [H x W x D] 280 mm x 327 mm x 518 mm and extension of 500 mm. 3-drawer container (03) for the table-top of: [H x W x D] 514 mm x 407 mm x 778 mm. 3 drawers with the following useful dimensions: [H x W x D] each of 135 mm x 327 mm x 718 mm and extension of 500 mm. Drawers in the container are locked with a key-lock. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | • | | 3) for additional unit of: [H x W x D] 514 mm x 407 mm x | | |
| | | | vith the following useful dimensions: [H x W x D] each of | | |
| | | 135 mm x 327 mm x 5 | 500 mm. Drawers in the container are locked with a key- | | |
| | | | lock. | | |
| | Т | able and additional unit | s are delivered in parts and need to be assembled. | | |
| | Delivere | | etely assembled, still they need to be screwed to the table | | |
| | Frame i | | or additional unit frame. units and containers can be painted with any RAL colour. | | |
| | | DIMENSIONS [mm] | ADDITIONAL DESCRIPTION | | |
| | SKU | H x W x D | (WEIGHT [kg]) | | |
| STRAIGHT DESK | | | | | |
| | | | | | |
| | BP | 740 x 1600 x 800 | No walls | | |
| | 00/00/ OS0 | | (32) | | |
| | 030 | | | | |
| | | 1 | | | |



www.techmark.com.pl/en

🖂 techmark@techmark.com.pl



| BP 00/00/ OS1 | With back wall (35) |
|---------------------|----------------------------------|
| BP 00/00/ OS3 | With back and side walls (39) |

| STRAIGHT DESK WITH 1 METAL CONTAINER ON THE LEFT | | | | | |
|--|-----------------------|----------------------|--|--|--|
| | BP/L 02/00/ OS0 | | - container with 2 drawers, - no walls (70) | | |
| | BP/L 03/00/ OS0 | - 740 x 1600 x 800 - | - container with 3 drawers, - no walls (77) | | |
| | BP/L 02/00/ OS2 | | - container with 2 drawers, - with back and side wall (77) | | |
| | BP/L 03/00/ OS2 | | - container with 3 drawers, - with back and side wall (84) | | |
| STRAIGHT DESK WITH 1 METAL | CONTAIN | ER ON THE RIGHT | | | |
| | BP/P 00/02/ OS0 | 740 x 1600 x 800 | - container with 2 drawers, - no walls (70) | | |
| | BP/P 00/03/ OS0 | 740 X 1000 X 800 | - container with 3 drawers, - no walls (77) | | |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki




| | BP/P 00/02/ OS2 BP/P 00/03/ OS2 | | - container with 2 drawers, - with back and side wall (77) - container with 3 drawers, - with back and side wall (84) |
|----------------------------|--|------------------|--|
| STRAIGHT DESK WITH 2 CONTA | AINERS | | |
| | BP/LP 02/02/ OS0 | | - 2 containers with 2 drawers - no wall (108) |
| | BP/LP 02/03/ OS0 | 740 x 1600 x 800 | - 1 container with 2 drawers - 1 container with 3 drawers - no wall (115) |
| | BP/LP 03/02/ OS0 | | - 1 container with 2 drawers - 1 container with 3 drawers - no wall (115) |
| | BP/LP 03/03/ OS0 | | - 2 containers with 3 drawers - no wall (122) |
| | BP/LP 02/02/ OS1 | | - 2 containers with 2 drawers - with back wall (112) |
| | BP/LP 02/03/ OS1 | | 1 container with 2 drawers 1 container with 3 drawers with back wall (119) |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl






 $^{\text{age}}51$

www.techmark.com.pl/en

techmark@techmark.com.pl





 $P_{age}52$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

🖂 techmark@techmark.com.pl



| | BD/L 03/03/ OS2 | | - 2 containers with 3 drawers - with 2 back walls (152) | | | |
|---|------------------------|--|---|--|--|--|
| DESK WITH ADDITIONAL UNIT | COMPRISIN | IG 1 CONTAINER ON TH | ERIGHT | | | |
| | BD/P 00/03/ OS0 | Desk dimensions: 740 x 1600 x 800 | - 1 container with 3 drawers - no walls (99) | | | |
| | BD/P/0 0/03/0 S2 | Container dimensions: 650 x 1200 x 600 | - 1 container with 3 drawers - with 2 back walls (104) | | | |
| DESK WITH 1 CONTAINER AND WITH ADDITIONAL UNIT ON THE RIGHT | | | | | | |
| | BD/P 02/00/ OS0 | | - 1 container with 2 drawers - no walls (96) | | | |
| | BD/P 03/00/ OS0 | Desk dimensions: 740 x 1600 x 800 Container dimensions: 650 x 1200 x 600 | - 1 container with 3 drawers - no walls (99) | | | |
| | BD/P 02/00/ OS2 | | - 1 container with 2 drawers - with 2 back walls (104) | | | |
| | BD/P 03/00/ OS2 | | - 1 container with 3 drawers - with 2 back walls (106) | | | |
| DESK WITH 1 CONTAINER AND | WITH ADD | ITIONAL UNIT COMPRIS | SING 1 CONTAINER ON THE RIGHT | | | |
| | BD/P 02/03/ OS0 | Desk dimensions: 740 x 1600 x 800 Container dimensions: | - no walls (144) | | | |

Page 53

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



| BD/P 03/03/ OS0 | 650 x 1200 x 600 | - no walls (147) |
|-----------------------|------------------|------------------------------|
| BD/P 02/03/ OS2 | | - with 2 back walls (150) |
| BD/P 03/03/ OS2 | | - with 2 back walls (153) |



TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



| TECHBOX METAL BOXES | | | | |
|--|--|--------------------------------|--|--|
| Massive Techbox boxes are locked with locks certified in "A" class, hydraulic lifts provide easy opening and closing of the massive cover, as well as unrestricted access to the box interior, the cover completely protects the box interior from external contamination (such as dust, pouring, etc.) an opening protected by the cover (on the front or back side) used to connect devices stored in the box with the power cable (e.g. when device charging is needed) | | | | |
| SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | |
| TchB 780 | 400 x 780 x 450 (26) | 1 lock certified in "A" class | | |
| TchB 1168 | 629 x 1168 x 560 (49) | 2 locks certified in "A" class | | |
| TchB 1369 | 490 x 1369 x 560 (49) | 2 locks certified in "A" class | | |

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN THE TECHBOXES

Docking station

Metal handles (2 pcs)

4 casters, including 2 casters with brake

www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12
 REGON: 470513221



| | RECYCLING BINS | | | | | |
|----------------|---|--|---|--|--|--|
| | Welded structure of the bins is made of full profiles, - doors locked with a lock with optional padlock application, - provided with inlet opening with self-closing hinged flap, - gasket provided around the opening. - openings provided on the back of the bins to fasten them to the wall, | | | | | |
| | | | provided with a pictogram sticker (optional) | | | |
| | maximally exte | PSO 1, PSO 2, PSO 3 and PSO 4 bins can be provided with: 1W - retractable frame mounted on telescopic slides, onto which bags can be hung Slides can be maximally extended, therefore bags are easily and quickly changed; a cover which is placed on the frame prevents the bags from slipping 1P - inside the bin there is a metal basket with handles cut on both sides, which is coated with powder paint in grey colour RAL 7035. | | | | |
| | | B | Bins painted with all RAL colours. | | | |
| | | Our produ | ucts are covered by 24-months warranty. | | | |
| | | Deliv | ered bins are completely assembled. | | | |
| | SKU | DIMENSIONS [mm] SKU H x W x D ADDITIONAL DESCRIPTION (WEIGHT [kg]) | | | | |
| 1- Compartment | 1 | | | | | |
| | PSO 1_1W | 1070 x 356 x 350 (14) | 1 frame onto which bags are hung | | | |
| Ì | PSO 1_1P | 1070 x 356 x 350 (20) | 1 metal basket with handles cut on both sides | | | |
| 2- compartment | | | | | | |
| | PSO 2_1P_1W | 1070 x 710 x 350 (30) | - 1 frame onto which bags are hung - 1 metal basket with handles cut on both sides | | | |



www.techmark.com.pl/entechmark@techmark.com.pl



| | PSO 2_2W | 1070 x 710 x 350 (25) | 2 frames onto which bags are hung |
|----------------|---------------------------------------|------------------------------|--|
| | PSO 2_2P | 1070 x 710 x 350 (36) | 2 metal baskets with handles cut on both sides |
| 3- compartment | | | |
| | 1070 x 1065 PSO 3_3P x 350 (56) | | 3 metal baskets with handles cut on both sides |
| | PSO 3_3W | 1070 x 1065 x 350 (38) | 3 frames onto which bags are hung |
| | PSO 3_2P_1W | 1070 x 1065 x 350 (50) | - 2 metal baskets with handles cut on both sides - 1 frame onto which bags are hung |
| | PSO 3_2W_1P | 1070 x 1065 x 350 (44) | 1 metal basket with handles cut on both sides 2 frames onto which bags are hung |
| 4- compartment | I | | |
| | PSO 4_4P | 1070 x 1420 x 350 | 4 metal baskets with handles cut on both sides |

Page 57

TECHMARK Piotrkowska 10/12

L. Ogłoza, S. Zdziechowski sp. j. 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



| | PSO 4_4W | 1070 x 1420 x 350 (51) | 4 frames onto which bags are hung |
|-----------|-------------|------------------------------|--|
| | PSO 4_3P_1W | 1070 x 1420 x 350 (69) | - 3 metal baskets with handles cut on both sides - 1 frame onto which bags are hung |
| | PSO 4_3W_1P | 1070 x 1420 x 350 (57) | 1 metal basket with handles cut on both sides 3 frames onto which bags are hung |
| | PSO 4_2P_2W | 1070 x 1420 x 350 (63) | - 2 metal baskets with handles cut on both sides - 2 frames onto which bags are hung |
| Large bin | | | |
| | PSO D/1W | 1070 x 710 x 350 (22) | - 1 metal frame onto which bags are hung (dimensions: 615 wide x 266 deep) |

| ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN THE RECYCLING BINS |
|---|
| Key locks with a single number, all compartments in the bin are open with a single key (1 pc) |
| 4 casters, including 2 casters with brake (a set) |
| Bin made of galvanised sheet metal (1 pc) (applies to PSO 1, PSO 2, PSO 3, PSO 4) |
| Levelling feet (4 pcs.) |
| 4 stands |
| Door stop |
| Extra metal information plate, screwed onto back casing wall (200 mm wide) |



TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/entechmark@techmark.com.pl



| | | SPORT LC | OCKERS | | | | |
|----------------------|---|---|---|--|--|--|--|
| | Lockers painted with all RAL colours. Our products are covered by 24-months warranty. Delivered lockers are completely assembled, still shelves need to be mounted. | | | | | | |
| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | | | |
| WITH FULL HINGED D | OORS | | | | | | |
| | SzT 2D800/04 | 2000 x 800 x 500 (73) | - hinged doors are provided with reinforced inner | | | | |
| | SzT 2D900/04 | 2000 x 900 x 500 (77) | - doors are provided with remoted miner profiles, - doors are provided with internal hinges, giving free access to the furniture interior, | | | | |
| | SzT 2D1000/04 | 2000 x 1000 x 500 (83) | doors are locked with a key lock with a hand wheel, with 3-point locking system locker provided with 4 shelves with edge, adjustable every 15 mm | | | | |
| | SzT 2D1200/04 | 2000 x 1200 x 500 (95) | | | | | |
| WITH FULL HINGED D | WITH FULL HINGED DOORS + A RAIL AND 4 HOOKS | | | | | | |
| | SzT 2D800/3H | 2000 x 800 x 500 (74) | | | | | |
| | SzT 2D900/3H | 2000 x 900 x 500 (78) | Hinged doors are provided with reinforcing inner profiles, doors are provided with internal hinges, giving free access to the furniture interior, doors are locked with a key lock with a hand wheel, with 3-point locking system. | | | | |
| | SzT 2D1000/3H | 2000 x 1000 x 500 (84) | The locker is provided with: - 3 shelves with edge, adjustable every 15 mm - 1 shelf with a rail and 4 coat hooks | | | | |
| | SzT 1200/3H | 2000 x 1200 x 500 (96) | | | | | |
| WITH FULL HINGED DOC | ORS + COMPLETE | EQUIPMENT | | | | | |
| | SzT 2D800/W4 | 2000 x 800 x 500 (68) | hinged doors are provided with reinforcing inner profile, doors are provided with internal hinges, giving free access to the furniture interior, doors are locked with a key lock with a hand wheel, with 3-point locking system. | | | | |



95-070 Aleksandrów Łódzki

- www.techmark.com.pl/en
- ⊠ techmark@techmark.com.pl
- (+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12 REGON: 470513221



| SzT 2D900/W4 | 2000 x 900 x 500 (74) | The locker is provided with: - safe compartment locked with a key lock and 2 hula- hoop rails - sections for poles, - tub, | |
|------------------|--|--|--|
| SzT 2D1000/W4 | 2000 x 1000 x 500 (78) | - baseball bats holders, - ball basket, - 3 hooks | |
| SzT 2D1200/W4 | 2000 x 1200 x 500 (90) | | |
| SED DOORS | | | |
| SzT 20800/04 | 2000 × 800 × 500 (71) | | |
| SzT 20900/04 | 2000 x 900 x 500 (75) | hinged doors are provided with reinforced inner profile, doors are provided with internal hinges, giving free access to the furniture interior, doors are locked with a key lock with a hand wheel, with | |
| SzT 2O1000/04 | 2000 x 1000 x 500 (81) | 3-point locking system - doors provided with square-shaped perforations, - locker provided with 4 shelves with edge, adjustable every 15 mm | |
| SzT 201200/04 | 2000 x 1200 x 500 (93) | | |
| DORS + A RAIL A | ND 4 COAT HOOKS | | |
| SzT 20800/3H | 2000 x 800 x 500 (72) | hinged doors are provided with reinforced inner profile, doors are provided with internal hinges, giving free | |
| SzT 2O900/3H | 2000 x 900 x 500 (76) | access to the furniture interior, - doors are locked with a key lock with a hand wheel, with 3-point locking system - doors provided with square-shaped perforations. | |
| SzT 201000/3H | 2000 x 1000 x 500 (82) | The locker is provided with: - 3 shelves with edge, adjustable every 15 mm - 1 shelf with a rail and 4 coat hooks | |
| | 2D900/W4 2D1000/W4 2D1000/W4 2D1200/W4 GED DOORS 2D1200/W4 GED DOORS 2D1200/W4 2D1200/W | 2D900/W4 (74) 2D52T 2000 × 1000 × 500 (78) 2D1000/W4 2000 × 1200 × 500 (90) 2D1200/W4 2000 × 1200 × 500 (90) SZT 2000 × 800 × 500 (71) SZT 2000 × 900 × 500 (71) 2SZT 2000 × 900 × 500 (71) SZT 2000 × 1000 × 500 (71) SZT 2000 × 1000 × 500 (71) 2O1000/04 2000 × 1200 × 500 (81) 2O1200/04 2000 × 1200 × 500 (93) SZT 2000 × 800 × 500 (93) CORS + A RAIL V COAT HOOKS SZT 2000 × 800 × 500 (72) 202000/3H 2000 × 900 × 500 (72) SZT 2000 × 900 × 500 (72) SZT 2000 × 900 × 500 (72) | |

 $P_{age}60$

TECHMARK L. Ogłoza, S. Zdziechowski sp. j.

Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



|--|

| PERFORATED HINGED D | OORS + COMPLE | TE EQUIPMENT | |
|--|------------------|---------------------------|--|
| | SzT 20800/W4 | 2000 x 800 x 500 (66) | - hinged doors are provided with 2 reinforcing inner profiles, |
| | SzT 2O900/W4 | 2000 x 900 x 500 (72) | doors are provided with internal hinges, giving free access to the furniture interior, doors are locked with a key lock with a hand wheel, with 3-point locking system doors provided with square-shaped perforations. |
| and the second sec | SzT 2O1000/W4 | 2000 x 1000 x 500 (76) | The locker is provided with: - safe compartment locked with a key lock and 2 hula-hoop rails - sections for poles, - tub, - baseball bats holders, - ball basket, |
| | SzT 201200/W4 | 2000 x 1200 x 500 (88) | - 3 hooks |
| FULL SLIDING DOORS | | | |

Page **D**

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en techmark@techmark.com.pl

S (+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12

REGON: 470513221



| SLIDING DOORS + COMP | ST DS1500/W1+1 | 2000 x 1500 x 500 (101) | - sliding doors are provided with a flash handle and are locked with a key lock The locker is provided with: - 4 shelves with edges on all sides, adjustable every 15 mm = 8 shelves |
|----------------------|--------------------|----------------------------|--|
| SLIDING DOORS + COMP | | | |
| | SzT DS1500/W4+1 | 2000 x 1500 x 500 (98) | doors are provided with a flash handle and are locked with a key lock, with 3-point locking system. Left part of the locker is provided with: safe compartment locked with a key lock and 2 hula-hoop rails sections for poles, tub, baseball bats holders, ball basket, 3 hooks Right part of the locker is provided with: 4 shelves with edge, adjustable every 15 mm |

| | SzT DP1500/W1+1 | 2000 x 1500 x 500 (99) | sliding doors are provided with a flash handle and are locked with a key lock, doors provided with square-shaped perforations. The locker is provided with: 4 shelves with edges on all sides, adjustable every 15 mm (altogether 8 shelves) | |
|--|--------------------|---------------------------|---|--|
|--|--------------------|---------------------------|---|--|

 ${}^{\rm Page}62$



| | SzT DP1500/W4+1 | 2000 x 1500 x 500 (97) | sliding doors are provided with a flash handle and are locked with a key lock, doors provided with square-shaped perforations, Left part of the locker is provided with: safe compartment locked with a key lock and 2 hula-hoop rails sections for poles, tub, baseball bats holders, ball basket, 3 hooks Right part of the locker is provided with: 4 shelves with edge, adjustable every 15 mm | |
|--|--------------------|---------------------------|--|--|
|--|--------------------|---------------------------|--|--|

Page 63

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl




| | | | WORKBENCHES |
|-----------|-------------|----------------|---|
| | | | ht workbenches have very solid structure. |
| | | - | frame is made of sheet metal 1.5 mm thick. |
| | Drowors are | mounted on the | telessenis hall slides (with a step, which provents the drawer from |
| | | | e telescopic ball slides (with a stop, which prevents the drawer from viding smooth and easy extension. Maximum load bearing capacity of |
| | - | | each drawer: 75 kg. |
| | | A loc | ker with hinged doors locked with a key lock. |
| | | _ | |
| | | | ble tops made of plywood 30 [mm] thick. Drawers are not locked with a key lock. |
| | | | rkbenches are provided with levelling feet. |
| | | | |
| | | | e workbenches can be painted with any RAL colour. |
| | | Delive | ered workbenches are completely assembled. |
| | | DIMENSION | |
| | SKU | S [mm] | ADDITIONAL DESCRIPTION (WEIGHT [kg]) |
| | | HxWxD | |
| 600 wide | | | |
| | | | Workbench provided with back wall and 1 bottom shelf. |
| | STL 600/5 | | |
| | | | It can be provided with 1 drawer suspended under the table top. |
| | | | (19) |
| | | | Workbench is provided with 1 locker with hinged doors locked with a |
| | | | key lock. There is one permanently fixed shelf inside the locker; the |
| | | 850 X 600 X | table top and the locker is spaced apart by 120 [mm]. |
| | STL 600/6 | 600 × | The workbench can be optionally provided with: |
| | | | - 1 drawer suspended under the table top |
| | | | - 3 drawers inside the locker with hinged doors |
| | | | (32) Workbench is provided with 1 locker having 3 drawers of the |
| | | | following dimensions [mm]: external 154 H x 430 W x 542 D, internal |
| | STL 600/7 | | 143 H x 390 W x 518 D, each. |
| | STL 000/7 | | - the table top and the locker are spaced apart by 120 [mm] |
| | | | It can be provided with 1 drawer suspended under the table top (50) |
| 1200 wide | | | |
| | | | Workbench provided with 1 back wall and 1 bottom shelf. |
| | STL 1200/1 | | It can be provided with 1 or 2 drawers suspended under the table |
| | | top. | |
| | | 850 X 1200 X | (34) |
| | | 600 | 1 suspended locker with 3 drawers of the following dimensions [mm]: |
| | STL 1200/2 | | external 154 H x 430 W x 542 D, internal 143 H x 390 W x 518 D, |
| | - | | each. - 1 locker with hinged doors. There is 1 permanently fixed shelf inside |
| | | | the locker. |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl





| TYPES OF DRAWERS IN LIGHT WORKBENCHES | | |
|--|-------|-------|
| | width | width |
| | 600 | 1200 |
| 1 drawer suspended under the table top of the following dimensions [mm]: external 90 X 435 | | |
| X 421, internal 75 x 351 x 378 | | |
| 1 internal drawer of the following dimensions [mm]: external 154 X 384 X 517, internal 142 x | | |
| 350 x 495 each, in hinged door locker | | |

| TYPES OF TOPS IN LIGHT WORKBENCHES | | |
|--|-------|-------|
| | width | width |
| | 600 | 1200 |
| Top coated with waterproof varnish with increased abrasion resistance. | | |
| Top made of plywood coated with corrugated rubber | | |
| Top made of plywood covered with inox sheet metal | | |
| Top made of plywood covered with galvanised sheet metal | | |



TECHMARK Piotrkowska 10/12

L. Ogłoza, S. Zdziechowski sp. j. 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

🖂 techmark@techmark.com.pl (+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12 REGON: 470513221



| | | | DUTY WORKBENCHES |
|-----------|--------------------|--|--|
| | R | einforced frame | e is made of full profiles 40 x 20, which are 1.50 [mm] thick, and 40 x 40 which are 2.0 [mm] thick, |
| | | | - lockers with hinged doors locked with a key lock, |
| | | drawer fror Drawers are pro open at a t - e - Thanks to massi | mounted on the telescopic ball slides (with a stop, which prevents the m falling out of the cabinet) providing smooth and easy extension. by ded with a patented mechanism, with which only one drawer can be time, which consequently prevents the cabinet from falling down. Drawers are locked with a master key-lock. ach drawer is provided with a sticker to mark its content. table top is made of plywood 40 [mm] thick +/- 4 [mm], - workbench is provided with levelling feet. ive structure, workbenches can be provided with a number of optional elements, with no risk for their stability. ture even more functional it is additionally provided with power sockets. lockers with drawers or shelves, or containers. |
| | | Fran | ne in the workbenches can be painted with any RAL colour. Delivered workbenches are completely assembled. |
| | SKU | DIMENSION S [mm] H x W x D | ADDITIONAL DESCRIPTION (WEIGHT [kg]) |
| 1100 wide | | | |
| | STC 1100/2321 | 884 x 1100 x 750 | The workbench is provided with: 1 locker with hinged doors (useful dimensions [mm] 633 high x 386 wide x 609 deep, external dimension of the locker 748 high x 462 wide x 670 deep). Locker with a permanently fixed shelf mounted on the half of its height. 2 drawers "90W" (drawers dimensions [mm]: external 85 high x 412 wide x 610 deep, internal 80 high x 368 wide x 558 deep). |
| | | | 1 locker with hinged doors. Locker useful dimensions [mm]: 422 high x 386 wide x 609 deep. Locker with no shelf (75) |
| 1500 wide | | | |
| H I | STC 1500/000000 | 850 x 1500 x 700 | |
| | STC 1500/0102 | | The workbench is provided with: 1 suspended box "120" (external dimensions 115 x 567 x 595, internal dimensions 110 x 522 x 560). The box is assembled on telescopic ball- bearing slides with protection against falling out. The box is locked with a central lock. |



www.techmark.com.pl/en

techmark@techmark.com.pl



| | 1 | I | The workbonch is previded with. |
|-------------------------|------------------|---------------------|--|
| | | | The workbench is provided with: |
| No. of Concession, Name | | | 2 drawers "90" (drawer dimensions [mm]: external 85 X 567 X 595, internal 80 x 522 x 558), |
| | STC 1500/0602 | | 1 drawer "120" (drawer dimensions [mm]: external 115 X 567 X 595, internal 110 x 522 x 558), |
| | | | 1 drawer "180" (drawer dimensions [mm]: external 175 X 567 X 595, internal 170 x 522 x 558). |
| | | | 1 suspended locker with hinged doors. Locker is provided with 1 permanently fixed shelf (102) |
| | STC 1500/0606 | | Workbench is provided with 2 suspended containers, each of which is equipped with: |
| | | | 2 drawers "90" (drawer dimensions [mm]: external 85 X 567 X 595, internal 80 x 522 x 558), |
| | | | 1 drawer "120" (drawer dimensions [mm]: external 115 X 567 X 595 and the following internal dimensions 110 x 522 x 558), |
| | | | 1 drawer "180" (drawer dimensions [mm]: external 175 X 567 X 595, internal 170 x 522 x 558) (122) |
| | | | The workbench is provided with: |
| | STC | | 2 drawers "90" (drawer dimensions [mm]: external 85 X 567 X 595, internal 80 x 522 x 558), |
| | 1500/0215 | | 1 drawer "120" (drawer dimensions [mm]: external 115 X 567 X 595, internal 110 x 522 x 558), |
| | | | 1 drawer "180" (drawer dimensions [mm]: external 175 X 567 X 595, internal 170 x 522 x 558) (85) |
| | | 884 x 1500 x 750 | The workbench is provided with: |
| 150 | STC | | |
| | 1500/202S2S | | 3 drawers "210W" with the following dimensions [mm]: external 205 H x 415 W x 610 D, internal 200 H x 368 W x 558 D, each. (75) |
| | | | The workbench is provided with: |
| | STC | 004 - 4500 | |
| | 1500/21221S | 884 x 1500 x 750 | 2 drawers "90W" (drawers dimensions [mm]: external 85 H x 412 W x 610 D, internal 80 H x 368 W x 558 D). Drawers are mounted on the telescopic ball slides (with a stop, which prevents the drawer from falling out of the cabinet) providing smooth and easy extension. |
| | | | |

Page 67

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12
 REGON: 470513221



| | | | Drawers are provided with a patented mechanism, with which only one | | |
|-----------|-----------------------|---|--|--|--|
| | | | drawer can be open at a time, which consequently prevents the cabinet from falling down. | | |
| | | | Drawers are locked with a master key-lock. | | |
| | | 1 locker with hinged doors locked with a key lock. Locker useful dimensions [mm]: 422 H x 386 W x 609 D. Locker with no shelf. | | | |
| | | | 1 drawer "180W" with the following dimensions [mm]: external 175 H x 412 W x 610 D, internal 170 H x 368 W x 558 D. Drawer is mounted on the telescopic ball slides (with a stop, which prevents the drawer from falling out of the cabinet) providing smooth and easy extension. Drawer is locked with a master key-lock. | | |
| | | | 1 locker with hinged doors locked with a key lock. Locker useful dimensions [mm]: 422 H x 386 W x 609 D. Locker with no shelf. | | |
| | | | 1 locker made of varnished plywood - [mm] 428 W x 670 D x 30 H (90) | | |
| 2000 wide | | | | | |
| | STC 2000/000000 | | (50) | | |
| | STC | | Workbench is provided with: | | |
| | | 10000 | 1 suspended locker with: | | |
| 2000/2 | | | - 1 "120" drawer (usable dimensions [mm]: H 115 x W 522 x D 558), - 2 "90" drawers (usable dimensions [mm]: H 85 x W 522 x D 558), - 3 "60" drawers (usable dimensions [mm]: H 55 x W 522 x D 558), | | |
| | 2000/210000 /111 | | Perforated wall made of 3 panels, each of which is [mm] 896 x 629. Panels are fastened to the workbench by means of mounting rails, 1 lighting panel on the frame fixed to the perforated wall; the said panel comprises: a switch, 230 V supply socket and two G13 fluorescent lamp of 58W. | | |
| | | | | | |
| | STC 2000/O- PZ-062 | | Workbench is provided with: • 1 suspended locker with: - 1 "180" drawer (drawer's usable dimensions [mm]: H 175 x W 522 x D 558), - 1 "120" drawer (drawer's usable dimensions [mm]: H 115 x W 522 x D 558), | | |
| | | | 2 "90" drawers (drawer's usable dimensions [mm]: H 85 x W 522 x D 558), 1 locker with hinged door and internal shelf - external dimensions of the locker [mm]: 598 H x 618W x 670 D 1 suspended locker with: | | |

 $P_{age}68$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12
 REGON: 470513221



| | , | |
|------------------|----------------------------|---|
| | | - 1 "180" drawer (drawer's usable dimensions [mm]: H 175 x W 522 x D 558), |
| | | - 1 "120" drawer (drawer's usable dimensions [mm]: H 115 x W 522 x D 558), |
| | | - 2 "90" drawers (drawer's usable dimensions [mm]: H 85 x W 522 x D 558), |
| | | Perforated wall made of 3 panels, each of which is [mm] 896 x 629. Panels are fastened to the workbench by means of mounting rails, 1 lighting panel on the frame fixed to the perforated wall; the said panel comprises: a switch, 230 V supply socket and two G13 fluorescent lamp of 58W. mounting rails for containers with the following containers: 21 polypropylene PW 5 containers having the following dimensions (D x W x H) 119x77x 56 [mm], 15 polypropylene PW 4 containers having the following dimensions (D x W x H) 157x101x74 [mm]. |
| | | Workbench is provided with: |
| STC 2000/0500 | STC 2000/050006 | 1 suspended container with: - 2 drawers "90" (drawer dimensions [mm]: external 85 X 567 X 595, internal 80 x 522 x 558) - 1 drawer "120" (drawer dimensions [mm]: external 115 X 567 X 595, internal 110 x 522 x 558) - 1 drawer "180" (drawer dimensions [mm]: external 175 X 567 X 595, internal 170 x 522 x 558). |
| | | 1 suspended container with: - 2 drawers "60" (drawer dimensions [mm]: external 55 X 567 X 610, internal 50 x 522 x 558) - a locker with hinged doors (140) |
| | | Workbench is provided with: |
| | STC 2000/060006 /213 | 2 suspended containers with: - 2 drawers "90" (drawer dimensions [mm]: external 85 X 567 X 595, internal 80 x 522 x 558) |
| | | - 1 drawer "120" (drawer dimensions [mm]: external 115 X 567 X 595, internal 110 x 522 x 558) |
| | | - 1 drawer "180" (drawer dimensions [mm]: external 175 X 567 X 595, internal 170 x 522 x 558). |
| | | Perforated wall made of 3 panels, each of which is [mm] 896 x 629. Panels are fastened to the workbench by means of mounting rails, |
| | | 1 shelf with the following dimensions [mm] 631 x 372 The shelf structure is suitable to mount it on a chosen height directly on the mounting rails, |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j.

Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221





1 suspended locker of the following dimensions [mm] 480 x 632 x 272 , with hinged doors. The locker is locked with a key lock, while inner side of the doors is perforated to mount hooks for tools. Thanks to mounting rails located inside the locker, the shelf can be mounted on a chosen height, 1 lighting panel on the frame mounted on the workbench; the said panel comprises: a switch, 230 V supply socket and two G13 fluorescent lamp of 58W. (173) Workbench is provided with: 1 suspended container with: - 2 drawers "90" (drawer dimensions [mm]: external 85 X 567 X 595, internal 80 x 522 x 558) - 1 drawer "120" (drawer dimensions [mm]: external 115 X 567 X 595, internal 110 x 522 x 558) - 1 drawer "180" (drawer dimensions [mm]: external 175 X 567 X 595, internal 170 x 522 x 558). 1 suspended locker with hinged doors. Locker is provided with 1 permanently fixed shelf (100) Workbench is provided with: 2 suspended containers with: - 2 drawers "90" (drawer dimensions [mm]: external 85 X 567 X 595, internal 80 x 522 x 558) - 1 drawer "120" (drawer dimensions [mm]: external 115 X 567 X 595, internal 110 x 522 x 558) - 1 drawer "180" (drawer dimensions [mm]: external 175 X 567 X 595, internal 170 x 522 x 558) (130) Workbench is provided with: 1 suspended container with: - 2 drawers "90" (drawer dimensions [mm]: external 85 X 567 X 595, internal 80 x 522 x 558) - 1 drawer "120" (drawer dimensions [mm]: external 115 X 567 X 595, internal 110 x 522 x 558) - 1 drawer "180" (drawer dimensions [mm]: external 175 X 567 X 595,

2 suspended lockers with hinged doors. Each locker has 1 permanently fixed shelf (150)

internal 170 x 522 x 558).

Workbench is provided with 1 suspended container with: 2 drawers "90" (drawer dimensions [mm]: external 85 X 567 X 595, internal 80 x 522 x 558), 1 drawer "120" (drawer dimensions [mm]: external 115 X 567 X 595, internal 110 x 522 x 558),

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

- www.techmark.com.pl/en
- 🖂 techmark@techmark.com.pl
- (+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12 REGON: 470513221



| | | 1 drawer "180" (drawer dimensions [mm]: external 175 X 567 X 595, internal 170 x 522 x 558). (90) |
|--------------------|-----------------------------|---|
| STC 2000/121102 | | 4 drawers "120" (drawer dimensions [mm]: external 115 X 567 X 595, internal 110 x 522 x 558), 3 drawers "160" (drawer dimensions [mm]: external 155 X 567 X 595, internal 150 x 522 x 558). 1 suspended locker with hinged doors. Locker is provided with 1 permanently fixed shelf (150) |
| STC 2000/010001 | 890 x 2000 x 700 (95) | 2 suspended drawers with the following internal dimensions [mm] 110 x 522 x 587 each. Each drawer: - is mounted on the telescopic ball slides (with a stop, which prevents the drawer from falling out of the cabinet) providing smooth and easy extension. - is locked with a master key-lock. |

| TYPES OF TOPS IN HEAVY-DUTY WORKBENCHES | | |
|--|------------|------------|
| | width 1500 | width 2000 |
| Top coated with waterproof varnish with increased abrasion resistance. | | |
| Top made of plywood coated with corrugated rubber | | |
| Top made of plywood covered with inox sheet metal | | |
| Top made of plywood covered with galvanised sheet metal | | |

| ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN THE HEAVY-DUTY | | |
|---|------------|------------|
| WORKBENCHES | | |
| | width 1500 | width 2000 |
| Perforated wall 500 mm high: 2 panels in the workbenches 1500 wide or 3 panels in the workbenches 2000 wide | | |
| Perforated wall 900 mm high: 2 panels in the workbenches 1500 wide or 3 panels in the workbenches 2000 wide | | |
| 1 shelf (the shelf is exclusively sold with the wall) | | |
| 1 suspended locker, with perforations on the doors and adjustable shelf (the locker is exclusively sold with the perforated wall) | | |
| 1 lighting panel with a frame (exclusively sold with the perforated wall) | | |
| 4 casters, including 2 casters with brake - for all types of workbenches | | |

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| TYPES OF PARTITIONS FOR DRAWERS IN HEAVY-DUTY WORKBENCHES | | |
|---|------------|------------|
| | width 1500 | width 2000 |
| PS1/90- for drawers "90" 3 partitions, each provided with 3 sections. Distance between partitions 145 mm, distance between sections 25 mm | | |
| PS2/90- for drawers "90" 4 partitions, each provided with 3 sections. Distance between partitions 109 mm, distance between sections 25 mm | | |
| PS1/120- for drawers "120" 3 partitions, each provided with 3 sections. Distance between partitions 145 mm, distance between sections 25 mm | | |
| PS2/120- for drawers "120" 4 partitions, each provided with 3 sections. Distance between partitions 109 mm, distance between sections 25 mm | | |

 $P_{age}72$


TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221





age /

TECHMARK L. Ogłoza, S. Zdziechowski sp. j.

Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en



| | EQUIPMENT FOR MODULE 1, 2 OR 3 IN STC K 1500 AND STC K 2000 WORKBENCHES | | | |
|------|---|---|--|--|
| SWM1 | | A locker with hinged door and internal shelf - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions [mm]: 486 H | | |
| SWM2 | | A locker with hinged door + 2 drawers x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the locker with hinged door [mm]: 330 H; usable dimensions of drawers [mm]: 55 H x 522 W x 558 D, each. | | |
| SWM3 | | A locker with hinged door + 1 drawer x 120 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the locker with hinged door [mm]: 330 H; usable dimensions of the drawer [mm]: 115 H x 522 W x 558 D | | |
| SWM5 | | A locker with 2 drawers x 240 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 235 H 522 W x 558 D, each | | |
| SWM6 | | A locker with 1 drawer x 120 and 2 drawers x 180 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 1 x 115 H x 522 W x 558 D, 2 x 175 H x 522 W x 558 D | | |



TECHMARK L. Ogłoza, S. Zo

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en



| SWM7 | A locker with 2 drawers x 120 and 1 drawer x 240 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 1 x 115 H x 522 W x 558 D, 1 x 235 H x 522 W x 558 D |
|-------|---|
| SWM8 | A locker with 3 drawers x 160 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 3 x 155 H x 522 W x 558 D |
| SWM9 | A locker with 1 drawer x 150, 2 drawers x 120, 1 drawer x 90 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 1 x 145 H x 522 W x 558 D, 2 x 115 H x 522 W x 558 D and 1 x 85 H x 522 W x 558 D |
| SWM10 | A locker with 1 drawer x 180, 1 drawer x 120, 2 drawers x 90 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 1 x 175 H x 522 W x 558 D, 1 x 115 H x 522 W x 558 D and 2 x 85 H x 522 W x 558 D |
| SWM11 | A locker with 2 drawers x 150, 1 drawer x 120, 1 drawer x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 1 x 145 H x 522 W x 558 D, 1 x 115 H x 522 W x 558 D and 1 x 55 H x 522 W x 558 D |
| SWM12 | A locker with 2 drawers x 150 and 2 drawers x 90 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 2 x 145 H x 522 W x 558 D, 2 x 85 H x 522 W x 558 D |

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en



| SWM13 | A locker with 4 drawers x 120 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 4 x 115 H x 522 W x 558 D |
|-------|--|
| SWM14 | A locker with 1 drawer x 120 and 4 drawers x 90 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 1 x 115 H x 522 W x 558 D, 4 x 85 H x 522 W x 558 D |
| SWM15 | A locker with 1 drawer x 150, 1 drawer x 120, 1 drawer x 90 and 2 drawers x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 1 x 145 H x 522 W x 558 D, 1 x 115 H x 522 W x 558 D, 1 x 85 H x 522 W x 558 D and 2 x 55 H x 522 W x 558 D |
| SWM16 | A locker with 1 drawer x 150, 3 drawers x 90, 1 drawer x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 1 x 145 H x 522 W x 558 D, 3 x 85 H x 522 W x 558 D and 1 x 55 H x 522 W x 558 D |
| SWM17 | A locker with 2 drawers x 120, 2 drawers x 90, 1 drawer x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 2 x 115 H x 522 W x 558 D, 2 x 85 H x 522 W x 558 D and 1 x 55 H x 522 W x 558 D |
| SWM18 | A locker with 2 drawers x 150 and 3 drawers x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 2 x 145 H x 522 W x 558 D, and 3 x 55 H x 522 W x 558 D |

 $_{\text{Page}}76$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en



| SWM19 | A locker with 3 drawers x 120 and 2 drawers x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 3 x 115 H x 522 W x 558 D, and 2 x 55 H x 522 W x 558 D |
|-------|--|
| SWM20 | A locker with 1 drawer x 120, 2 drawers x 90, 3 drawers x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 1 x 115 H x 522 W x 558 D, 2 x 85 H x 522 W x 558 D and 3 x 55 H x 522 W x 558 D |
| SWM21 | A locker with 2 drawers x 120 and 4 drawers x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 2 x 115 H x 522 W x 558 D, and 4 x 55 H x 522 W x 558 D |
| SWM22 | A locker with 4 drawers x 90 and 2 drawers x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 4 x 85 H x 522 W x 558 D, and 2 x 55 H x 522 W x 558 D |
| SWM23 | A locker with 1 drawer x 120 and 6 drawers x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 1 x 115 H x 522 W x 558 D, and 6 x 55 H x 522 W x 558 D |
| SWM24 | A locker with 2 drawers x 90 and 5 drawers x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 2 x 85 H x 522 W x 558 D, and 5 x 55 H x 522 W x 558 D |

 $_{Page}77$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



| SWM25 | A locker with 8 drawers x 60 - external dimensions of the locker [mm]: 598 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 8 x 55 H x 522 W x 558 D |
|-------|---|
| SWM26 | Suspended box with 1 drawer x 120 - external dimensions of the box [mm]: 191 H x 618 W x 670 D; usable dimensions of the drawer [mm]: 1 x 115 H x 522 W x 558 D |
| SWM34 | Suspended box with 2 drawers x 60 - external dimensions of the box [mm]: 191 H x 618 W x 670 D; usable dimensions of the drawers [mm]: 2 x 55 H x 522 W x522 D |

 $_{Page}78$

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12

Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| | ADDITIONAL ELEMENTS FOR STC K 1500 AND STC K 2000 WORKBENCHES | | | | |
|-----|---|---|--|--|--|
| 29. | | A lighting panel for 1500 workbench with 2 x 36 W - external dimensions [mm]: 420 H x 1287 W x 500 D - alternatively LED 2 x 14,5 W | | | |
| 30. | | A lighting panel for 2000 workbench with 2 x 58W - external dimensions [mm]: 420 H x 1907 W x 500 D - alternatively LED 2 x 20 W | | | |
| 31. | | Perforated wall (2 panels x 500 mm H) - external dimensions of the wall [mm]: 1220 H x 1302 W x 45 D; usable dimensions of the panels [mm]: 2 x 496 H x 629 W | | | |
| 32. | | Perforated wall (3 panels x 500 mm H) - external dimensions of the wall [mm]: 1220 H x 1934 W x 45 D; usable dimensions of the panels [mm]: 3 x 496 H x 629 W | | | |
| 33. | | Perforated wall (2 panels x 900 mm H) - external dimensions of the wall [mm]: 1620 H x 1302 W x 45 D; usable dimensions of the panels [mm]: 2 x 896 H x 629 W | | | |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

- techmark@techmark.com.pl
- (+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12 REGON: 470513221



| 34. | Perforated wall (3 panels x 900 mm H) - external dimensions of the wall [mm]: 1620 H x 1934 W x 45 D; usable dimensions of the panels [mm]: 3 x 896 H x 629 W |
|-----|---|
| 35. | A locker mounted on the perforated wall, with internal shelf - external dimensions of the locker [mm]: 480 H x 632 W x 272 D; usable dimensions [mm]: 250 D |
| 36. | A shelf mounted on the perforated wall - external dimensions of the shelf [mm]: 630 W x 372 D; usable dimensions [mm]: 350 D |



www.techmark.com.pl/en

⊠ techmark@techmark.com.pl

(+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12 REGON: 470513221

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki



FREE-STANDING WORKSHOP CUPBOARDS



Workshop cupboards with drawers have solid reinforced structure. Cupboards can be provided with drawers of different size. The drawers interiors are subject to custommade arrangements with metal partitions, making is easy to store tools and small objects, or optionally can be provided with foam inserts.

Drawers are mounted on the telescopic ball slides (with a stop, which prevents the drawer from falling out of the cabinet) providing smooth and easy extension.

Cupboards are provided with a patented mechanism, with which only one drawer can be open at a time, which consequently prevents the cupboard from falling down.

Drawers and cupboards are locked with a master key-lock. Cupboards are provided with levelling feet.

| Cupboards are painted with all RAL colours. Delivered cupboards are completely assembled. | | | | |
|--|---------|--|---|--|
| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | |
| | SSW 901 | 1072 x 1005 x 590 (103) | - 1 drawer "80" (drawer dimensions [mm]: external 75 X 950 X 523, internal 62 X 905 X 473, Weight: 7kg - 2 drawers "120" (drawer dimensions [mm]: external 115 X 950 X 523, internal 102 X 905 X 473, Weight: 8kg - 2 drawers "160" (drawer dimensions [mm]: external 155 X 950 X 523, internal 142 X 905 X 473, Weight: 9kg - 1 drawer "280" (drawer dimensions [mm]: external 275 X 950 X 523, internal 262 x 905 x 473 Weight: 12kg | |
| | SSW 902 | 1072 x 1005 x 590 (102) | 5 drawers "80" (drawer dimensions [mm]: external 75 X 950 X 523, internal 62 X 905 X 473, Weight: 7kg 2 drawers "120" (drawer dimensions [mm]: external 115 X 950 X 523, internal 102 X 905 X 473, Weight: 8kg 1 drawer "280" (drawer dimensions [mm]: external 275 X 950 X 523, internal 262 x 905 x 473 | |
| | SSW 903 | 1072 x 1005 x 590 (91) | - 1 drawer "160" (drawer dimensions [mm]: external 155 X 950 X 523, internal 142 X 905 X 473, Weight: 9kg - 2 drawers "240" (drawer dimensions [mm]: external 235 X 950 X 523, internal 222 X 905 X 473, Weight: 11kg - 1 drawer "280" (drawer dimensions [mm]: external 275 X 950 X 523, internal 262 x 905 x 473 Weight: 12kg | |
| | SSW 904 | 1072 x 1005 x 590 (102) | - 3 drawers "80" (drawer dimensions [mm]: external 75 X 950 X 523, internal 62 X 905 X 473, Weight: 7kg - 1 drawer "160" (drawer dimensions [mm]: external 155 X 950 X 523, internal 142 X 905 X 473, Weight: 9kg - 1 drawer "240" (drawer dimensions [mm]: external 235 X 950 X 523, internal 222 X 905 X 473, Weight: 11kg - 1 drawer "280" (drawer dimensions [mm]: external 275 X 950 X 523, internal 262 x 905 x 473 Weight: 12kg | |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12

Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



| | 1 | r | |
|---|---------|-------------------------------|---|
| | SSW 905 | 1072 x 1005 x 590 (123) | 7 drawers "80" (drawer dimensions [mm]: external 75 X 950 X 523, internal 62 X 905 X 473, Weight: 7kg 3 drawers "120" (drawer dimensions [mm]: external 115 X 950 X 523, internal 102 x 905 x 473 Weight: 8kg |
| | SSW 906 | 1072 x 1005 x 590 (128) | - 10 drawers "80" (drawer dimensions [mm]: external 75 X 950 X 523, internal 62 X 905 X 473, Weight: 7kg - 1 drawer "120" (drawer dimensions [mm]: external 115 X 950 X 523, internal 102 x 905 x 473 Weight: 8kg |
| | SSW 907 | 1072 x 650 x 655 (91) | - 1 drawer "80" (drawer dimensions [mm]: external 75 X 595 X 592, internal 62 X 549 X 539, Weight: 7kg - 2 drawers "120" (drawer dimensions [mm]: external 115 X 595 X 592, internal 102 X 549 X 539, Weight: 8kg - 2 drawers "160" (drawer dimensions [mm]: external 155 X 595 X 592, internal 142 X 549 X 539, Weight: 9kg - 1 drawer "280" (drawer dimensions [mm]: external 275 X 595 X 592, internal 262 x 549 x 539 Weight: 12kg |
| E | SSW 908 | 1072 x 650 x 655 (50) | - 1 drawer "80" (drawer dimensions [mm]: external 75 X 595 X 592, internal 62 X 549 X 539, Weight: 7kg - 1 drawer "200" (drawer dimensions [mm]: external 195 X 595 X 592, internal 182 x 549 x 539, - 1 locker with hinged doors locked with a key lock. There is 1 permanently fixed shelf inside the locker. |
| | SSW 909 | 1072x1005x59 0 (90) | - 1 drawer "200" (drawer dimensions [mm]: external 195 X 950 X 523, internal 182 X 905 X 473, Weight: 10.2kg - 3 drawers "240" (drawer dimensions [mm]: external 235 X 950 X 523, internal 222 x 905 x 473 Weight: 11kg |
| | SSW 910 | 635 x 800 x 590 (70) | 2 drawers "115" (drawer dimensions [mm]: internal 106 H x 323 W x 378 D 1 drawer "235" (drawer dimensions [mm]: internal 226 H x 323 W x 378 D External depth of drawers is 523 mm |
| | SSW 911 | 800 x 520 x 665 (58) | - 1 drawer "80" (drawer dimensions [mm]: internal 52 H x 424 W x 550 D - 1 drawer "80" (drawer dimensions [mm]: internal 93 H x 424 W x 550 D - 3 drawers "80" (drawer dimensions [mm]: internal 142 H x 424 W x 550 D |
| | SSW 912 | 800 x 520 x 665 (60) | - 6 drawers "80" (drawer dimensions [mm]: internal 93 x 424 x 550 |



www.techmark.com.pl/en

☑ techmark@techmark.com.pl
 𝔅 (+ 48) 42 712 17 95

(+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12 REGON: 470513221

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki



TYPES OF TOPS IN WORKSHOP CUPBOARDS

Top made of plywood 30 mm thick

Top made of plywood 30 mm thick coated with waterproof varnish with increased abrasion resistance

Top made of plywood 30 mm thick coated with corrugated rubber

Metal edges on 3 sides and corrugated rubber

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN WORKSHOP **CUPBOARDS**

Levelling feet (4 pcs.)

4 casters, including 2 casters with brake

Side holder


TECHMARK

Piotrkowska 10/12

L. Ogłoza, S. Zdziechowski sp. j.

95-070 Aleksandrów Łódzki

Base unit 100 mm high





www.techmark.com.pl/en

🖂 techmark@techmark.com.pl



| | WALL-MOUNTED WORKSHOP CUPBOARDS | | | | | | |
|----|---|---|--|--|--|--|--|
| | Cupboards are provided with mounting rails, onto which shelves can be placed every 38 mm. Load bearing capacity of each shelf is 20 kg. The doors are locked with a key-lock. Cupboard can be mounted directly on the wall or on the perforated profiles fastened to the workbenches. Cupboards are painted with all RAL colours. Delivered cupboards are completely assembled, still shelves need to be mounted. | | | | | | |
| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | | | |
| Į. | SWN 400/1 | 600 x 400 x 215 (8) | | | | | |
| | SWN 800/2 | 600 x 800 x 215 (15) | 1 shelf with no perforations on the door | | | | |
| | SWN 1200/3 | 600 x 1200 x 215 (21) | | | | | |

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN WALL-MOUNTED CUPBOARDS

Extra shelf

Perforations on 1 door



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



| | WORKSHO | OP CARTS | |
|--|---|--|--|
| | e workshop carts are mounted on the telescopic ball slides (with a stop, which wer from falling out of the cabinet) providing smooth and easy extension; they are locked with a master key. | | |
| Lockers with hinged doors are locked with a key lock. Top is made of plywood 30 [mm] thick. Cart is provided with 2 casters with brake and 2 casters without brake, as well as a holder to move the cart. | | | |
| | Carts ar | ths warranty, whereas the locks are covered by 12-months warranty. e painted with all RAL colours. ssembled, still shelves and casters need to be mounted. | |
| ѕки | DIMENSIONS [mm] H x W x D | ADDITIONAL DESCRIPTION (WEIGHT [kg]) | |
| WW1 | - 845 x 1240 x 600 | The carts frame is made of full profiles 40 x 20 and 1.50 [mm] thick. 3 drawers (drawer dimensions [mm]: external 140 X 479 X 490, internal 127 x 432 x 440 (95) 1 locker with hinged doors. Locker is provided with 1 permanently fixed shelf The carts frame is made of full profiles 40 x 20 and 1.50 [mm] thick. | |
| WW2 | | 2 lockers with 3 drawers with the following dimension [mm]: external 140 X 479 X 490, internal 127 x 432 x 440 (107) | |
| WW3 | 895 x 1240 x 600 | 4 drawers 1 locker with hinged doors. Locker is provided with 1 permanently fixed shelf. Weight: (95) | |
| WW4 | 900 x 845 x 500 | 2 drawers "90" (drawer dimensions [mm]: internal 80 H x 424 W x 390 D 1 locker with hinged doors locked with a key lock. External dimensions of the locker [mm] 766 W x 400 H (50) | |



| WW5 | | 2 drawers "90" on the left (drawer dimensions [mm]: internal 80 H x 424 W x 390 D 1 locker with hinged doors on the left, locked with a key lock. External dimensions of the locker [mm] 367 W x 405 H 1 drawer on the right "180" (drawer dimensions [mm]: internal 170 H x 336 W x 390 D 1 locker with hinged doors on the right, locked with a key lock. External dimensions of the locker [mm] 367 W x 405 H (55) |
|-----|-----------------|---|
| WW6 | 888 x 960 x 500 | 1 locker with hinged doors on the left, locked with a key lock. External dimensions of the locker [mm] 355 W x 635 H 4 drawers "90" on the right (drawer dimensions [mm]: internal 80 H x 459 W x 390 D 1 drawers "270" on the right (drawer dimensions [mm]: internal 260 H x 459 W x 390 D (67) |
| WW7 | | 1 locker with hinged doors on the left, locked with a key lock. External dimensions of the locker [mm] 355 W x 425 H 2 drawers "90" on the left (drawer dimensions [mm]: internal 80 H x 329 W x 390 D 3 drawers "90" on the right (drawer dimensions [mm]: internal 80 H x 459 W x 390 D 2 drawers "180" on the right (drawer dimensions [mm]: internal 170 H x 459 W x 390 D (68) |



TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



| WW8 | 834 x 820 x 458 | 2 top drawers "55" (drawer dimensions [mm]: internal 46 H x 705 W x 378 D 1 drawer "55" (drawer dimensions [mm]: internal 46 H x 323 W x 378 D 2 drawers "115" (drawer dimensions [mm]: internal 106 H x 323 W x 378 D 1 drawer "175" (drawer dimensions [mm]: internal 175 H x 323 W x 378 D 1 drawer "175" (drawer dimensions [mm]: internal 175 H x 323 W x 378 D 1 locker with hinged doors on the right, locked with a key lock. External dimensions of the locker [mm] 374 W x 465 H (66) |
|-----|--------------------------|--|
| WW9 | 882 x 919 (841) x 500 | The cart is provided with 3 shelves |

TYPES OF TOPS IN THE WORKSHOP CARTS (applies to all models)

Top made of plywood coated with waterproof varnish with increased abrasion resistance

Top made of plywood additionally coated with corrugated rubber

Top made of plywood additionally covered with galvanised sheet metal

Top made of plywood covered with inox sheet metal 1.5 mm

Metal edges on 3 sides and corrugated rubber



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en



| | | WORKSHO | P CABINETS | | |
|---------------------------|--|--|---|--|--|
| | | Work | shop cabinet with solid structure. | | |
| | Doors are m | | rnal hinges and are locked with a key lock with a hand wheel, with 3-point locking system. | | |
| LU. | Inside t | he cabinet is provide | d with mounting rails to add a wide variety of additional accessories. | | |
| | Our products are covered by 24-months warranty, whereas the locks are covered by 12- months warranty. Cabinets are painted with all RAL colours. Delivered cabinets are completely assembled, shelves need to be mounted. | | | | |
| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | |
| With single full hinged d | loor, with reinfo | orcing profile | | | |
| | | 1050 x 537 X 435 (30) | | | |
| c | SzP 1D/1050_0 | 1050 x 537 X 500 (32) | Doors are mounted on 2 solid external hinges No shelves | | |
| | | 1050 x 537 X 600 (36) | | | |
| | | 1050 x 537 X 435 (34) | Doors are mounted on 2 solid | | |
| | SzP 1D/1050_2 | 1050 x 537 X 500 (38) | external hinges 2 shelves inside the cabinets can be mounted on a chosen height by means of steel channel bars. | | |
| | | 1050 x 537 X 600 (43) | | | |

 ${}^{\rm Page}88$

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/entechmark@techmark.com.pl



| | | 2000 x 537 x 435 (52) | |
|---------------------------|------------------|------------------------------|---|
| c . | SzP 1D/2000_0 | 2000 x 537 x 500 (56) | Doors are mounted on 3 solid external hinges No shelves |
| | | 2000 x 537 x 600 (60) | |
| | | 2000 x 537 x 435 (59) | |
| Market N | SzP 1D/2000_4 | 2000 x 537 x 500 (64) | Doors are mounted on 3 solid external hinges. 4 shelves inside the cabinets can be mounted on a chosen height by means of steel channel bars. |
| | | 2000 x 537 x 600 (70) | |
| With double full hinged o | loor, with rein | forcing profile | |
| | SzP | 1050 x 1020 X 435 (47) | Doors are mounted on 2 solid external hinges |
| | 2D/1050_0 | 1050 x 1020 x 500 (51) | No shelves |



TECHMARK Piotrkowska 10/12

L. Ogłoza, S. Zdziechowski sp. j. 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



| SzP 2D/2000_0 | 2000 x 1020 X 435 (82) 2000 x 1020 X 500 (85) | Doors are mounted on 3 solid external hinges No shelves |
|------------------|--|---|
| SzP 2D/1050_2 | 1050 x 1020 x 500 (61) 1050 x 1020 x 600 (68) 1050 x 1200 x 500 (69) 1050 x 1200 x 600 (76) | Doors are mounted on 2 solid external hinges 2 shelves inside the cabinets can be mounted on a chosen height by means of steel channel bars. |
| | 1050 x 1020 X 435 (57) | |
| | 1050 x 1200 x 600 (61) | |
| | 1050 x 1200 x 500 (56) | |
| | 1050 x 1020 x 600 (56) | |

 $_{\rm Page}90$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en



| | | 2000 x 1020 X 600 (90) | |
|-----|-----------|-------------------------------|---|
| | | 2000 x 1200 X 500 (93) | |
| | | 2000 x 1200 X 600 (100) | |
| | | 2000 x 1020 X 435 (102) | |
| 111 | SzP | 2000 x 1020 X 500 (107) | Doors are mounted on 3 solid external hinges. |
| | 2D/2000_4 | 2000 x 1020 X 600 (116) | 4 shelves inside the cabinets can be mounted on a chosen height by means of steel channel bars. |
| | | 2000 x 1200 X 500 (123) | |

 $_{\text{Page}}91$

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



| | | 2000 x 1200 X 600 (132) | | | |
|--|------------------|-------------------------------|---|--|--|
| With double hinged doors, with plexiglass insert | | | | | |
| | | 1050 x 1020 X 435 (48) | | | |
| | | 1050 x 1020 x 500 (52) | Doors are mounted on 2 solid external hinges | | |
| | SzP 2P/1050_0 | 1050 x 1020 x 600 (57) | No shelves | | |
| | | 1050 x 1200 x 500 (57) | | | |
| | | 1050 x 1200 x 600 (62) | | | |
| | SzP 2P/1050_2 | 1050 x 1020 X 435 (58) | Doors are mounted on 2 solid external hinges. 2 shelves inside the cabinets can be mounted on a chosen height by means of steel channel bars. | | |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en



| | 1050 x 1020 x 500 (63) | |
|------------------|------------------------------|--|
| | 1050 x 1020 x 600 (70) | |
| | 1050 x 1200 x 500 (71) | |
| | 1050 x 1200 x 600 (78) | |
| | 2000 x 1020 X 435 (83) | |
| SzP 2P/2000_0 | 2000 x 1020 X 500 (86) | Doors are mounted on 3 solid external hinges No shelves |
| | 2000 x 1020 X 600 (91) | |



TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl



| | | 2000 x 1200 X 500 (94) | |
|---------------------------|------------------|-------------------------------|---|
| | | 2000 x 1200 X 600 (101) | |
| | | 2000 x 1020 X 435 (103) | |
| | | 2000 x 1020 X 500 (108) | |
| | SzP 2P/2000_4 | 2000 x 1020 X 600 (117) | Doors are mounted on 3 solid external hinges. 4 shelves inside the cabinets can be mounted on a chosen height by means of steel channel bars. |
| | | 2000 x 1200 X 500 (124) | |
| | | 2000 x 1200 X 600 (133) | |
| With roller shutter doors | 1 | | 1 |

 $P_{age}94$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl S (+ 48) 42 712 17 95

NIP (Tax ID): 726-000-22-12 REGON: 470513221



| SzP 2Z/1050_0 | 1050 x 1200 x 450 | Doors are made of slidable PVC roller shutter, which conceals along the side walls. Doors are locked with a key-lock. (51) |
|------------------|----------------------|--|
| SzP 2Z/1050_2 | . 450 | Doors are made of slidable PVC roller shutter, which conceals along the side walls. Doors are locked with a key-lock. 2 shelves inside the cabinets can be mounted on a chosen height by means of steel channel bars. (60) |
| SzP 2Z/2000_0 | 2000 x 1200 x | Doors are made of slidable PVC roller shutter, which conceals along the side walls. Doors are locked with a key-lock (91) |
| SzP 2Z/2000_4 | 450 | Doors are made of slidable PVC roller shutter, which conceals along the side walls. Doors are locked with a key-lock. 2 shelves inside the cabinets can be mounted on a chosen height by means of steel channel bars. (115) |

| ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN THE WORKSHOP CABINETS | Dimensions H x W x D [mm] |
|--|---|
| Perforated tool panel on the back wall of the cabinet 450 mm high | 450 x 970 // 450 x 1170 |
| Pull-out shelf | 40 x 921 x 390 |
| Shelf | 25 x 1008 x 352 |
| Shelf with an edge for containers with chemical agents | 40 x 1008 x 355 |
| Drawer 100 high | external 97 X 936 X 549, internal 85 x 919 x 527 |
| Drawer 200 | external 197 X 936 X 549, internal 185 x 919 x 527 |
| Pull-out frame for suspension files | 40 x 921 x 390 |
| Collecting tray with a flange | 80 x 930 x 367 |
| Top made of laminated plate 25 mm thick | For cabinets 1050 high |
| Top made of plywood 30 mm thick | 80 x 930 x 367 |



TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| | CUSTO | M-MADE WORKS | HOP CABINETS | |
|--------------------------|--|---|--|--|
| | Cabinets are provided with PP containers. | | | |
| | Our products are covered by 24-months warranty, whereas the locks are covered by 12-month warranty. Cabinets painted with all RAL colours. Delivered cabinets are completely assembled, still shelves need to be mounted. | | | |
| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | |
| Service workshop cabinet | | | | |
| | SzP/0-RZ-007 | 1950 x 1020 x 535 (160) | TOP SECTION with a locker provided with double hinged door. Doors are provided with internal hinges, giving free access to the furniture interior. Perforated panels are mounted on both doors and back of the cabinet, to mount additional accessories. A shelf adjustable every 30 - 40 mm with a minimum load bearing capacity of 50 kg is mounted inside the locker. Doors are locked with a key lock, with 3-point locking system MIDDLE SECTION with: a locker with single hinged door, with the following external dimensions [W x H] 390 mm x 626 mm. Doors are locked with a key lock, with 1-point locking system. The locker has 1 permanently fixed shelf. 3 drawers with useful dimensions [W x H x D] 536 mm x 75 mm x 500 mm and 2 drawers with useful dimensions [W x H x D] 536 mm x 165 mm x 500 mm. All drawers are locked with a single master key and are provided with a special system, so that only one drawer can be open at a time. BOTTOM SECTION with 1 drawer with useful dimensions [W x H x D] 955 mm x 165 mm x 450 mm. Drawer is locked with a key-lock. The cabinet is provided with levelling feet, is delivered completely assembled, only shelf and additional accessories need to be mounted | |



TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl S (+ 48) 42 712 17 95

NIP (Tax ID): 726-000-22-12 REGON: 470513221



| Workshop cabinet with 5 | adjustable shelv | es, 3 drawers, 1 p | anel and 14 containers |
|-------------------------|------------------------------|-------------------------------|--|
| | SZP/MX43N 0/2D00/13S S | 2000 x 1020 x 435 (162) | Workshop cabinet with massive structure having full doors and reinforcing profile. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. Mounting rails inside the cabinet are suitable to mount: 3 adjustable narrow shelves with the following dimensions 978 mm W x 230 mm D, each, 2 adjustable deep shelves with the following dimensions 978 mm W x 373 mm D, each, 2 drawers "100" with the useful dimensions: 78 mm H x 919 mm W x 362 mm D 1 drawer "200" with the useful dimensions 178 mm H x 919 mm W x 362 mm D. Drawers are mounted on the telescopic ball slides (with a stop, which prevents the drawer from falling out of the cabinet) providing smooth and easy extension. Left door is provided with 4 mounting rails for workshop containers made of PP arranged as follows: 2 rows with 3 containers PW 4 with the following dimensions (D x W x H) 157x101x74 [mm] - altogether 6 pcs. 2 rows with 4 containers PW 5 with the following dimensions (D x W x H) 119x77x 56 [mm] on each door - altogether 8 pcs. |



TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl





TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

⊠ techmark@techmark.com.pl



| Workshop cabinets with 200 containers | | | | | |
|--|---|-------------------------------|---|--|--|
| | SZP/MX43N0/2D 00/UPS | 2000 x 1020 x 435 (140) | Workshop cabinet with massive structure having full doors and reinforcing profile. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. Inside the cabinet there are 12 rows of mounting rails, whereas each row is provided with 6 pcs. of PP containers PW 3 with the following dimensions 224 deep x 144 wide x 108 high [mm], altogether 72 pcs. of containers, On each door there are 16 rows of mounting rails, whereas each row is provided with 4 pcs. of PP containers PW 5 with the following dimensions 119 deep x 77 wide x 56 high [mm]- altogether 64 pcs. of containers on each door | | |
| Workshop cabinet with 2 p | banels, 2 adjustable | shelves and 20 | containers | | |
| | SZP/MX43N0/2D 00/14SS | 2000 x 1020 x 435 (93) | The main compartment is provided with: - 2 tools panels, each is 450 mm high, - 2 adjustable shelves, - 2 mounting rails for PW3 containers, - 12 pcs. of PW3 containers (1.6 l) - 8 pcs. of PW2 containers (4 l) to be placed on the shelves. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. | | |
| Workshop cabinet with 6 adjustable shelves and 28 containers | | | | | |
| | SZP/MX43N0/2D 00/15SS | 2000 x 1020 x 435 (115) | The main compartment is provided with: - 6 adjustable shelves - 28 pcs. of PW2 containers (4 I) Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. | | |
| Workshop cabinet with 1 g | Workshop cabinet with 1 panel, 2 adjustable shelves and 6 drawers | | | | |
| | SZP/MX50N0/2D 00/16SS | 2000 x 1020 x 500 (115) | The main compartment is provided with: s- 1 tools panel, - 2 adjustable shelves, - 4 drawers 80 mm high, - 2 drawers 150 mm high. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. | | |



TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95



| Workshop cabinet with 2 panels, 1 adjustable shelf, 6 drawers and 8 containers | | | |
|--|--------------------------|-------------------------------|--|
| | SZP/MX50N0/2D 00/17SS | 2000 x 1020 x 500 (110) | The main compartment is provided with: - 2 tools panels, - 1 adjustable shelf, - 8 pcs. of PW2 containers (4 I), - 4 drawers 80 mm high, - 2 drawers 150 mm high. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. |
| Workshop cabinets with 6 | 0 containers | | |
| | SZP/MX43N0/2D 00/18SS | 2000 x 1020 x 435 | - 11 rows of mounting rails, - 16 pcs. of PW4 containers of 0.5 l capacity - 8 pcs. of PW6 containers of 0.9 l capacity - 24 pcs. of PW3 containers of 1.6 l capacity - 12 pcs. of PW2 containers of 4 l capacity. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. |
| Workshop cabinets with 14 | 44 containers | • | |
| | SZP/MX43N0/2D OR/19SS | 2000 x 1020 x 435 | The main compartment is provided with: - 13 rows of mounting rails, - 24 pcs. of PW4 containers of 0.5 l capacity - 8 pcs. of PW6 containers of 0.9 l capacity - 24 pcs. of PW3 containers of 1.6 l capacity - 16 pcs. of PW2 containers of 4 l capacity. On each door there are 9 rows of mounting rails, whereas each row is provided with 4 pcs. of PW 5 containers of 0.2 l capacity, which altogether makes 36 pcs. of containers on each door. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. |
| Workshop cabinet with 5 a | djustable shelves, 2 | drawers 100H | · · · |
| e | SZP/MX43N0/2D 00/05SS | 2000 x 1020 x 435 | Mounting rails inside the cabinet are suitable to mount: - 5 pcs. of adjustable shelves with the following dimensions: 978 mm W x 373 mm D, each, - 2 drawers "100" with the useful dimensions: 78 mm H x 919 mm W x 362 mm D - 2 drawers "200" with the useful dimensions 178 mm H x 919 mm W x 362 mm D. |

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| | SZP/MX50N0/2D 00/05SS | 2000 x 1020 x 500 | Drawers are mounted on the telescopic ball slides (with a stop, which prevents the drawer from falling out of the cabinet) providing smooth and easy extension. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. |
|--|--------------------------|----------------------|--|
| Workshop cabinet with 2 | panels, 2 shelves, 3 c | Irawers and 70 | containers |
| | SZP/MX43N0/2D 00/23SS | 2000 x 1020 x 435 | Mounting rails inside the cabinet are suitable to mount (by means of steel channel bars): - 2 tools panels, - 1 adjustable shelf, - 1 permanently fixed shelf, - 2 drawers, each is 100 mm high - 1 drawer 200 mm high. Each door is provided with 10 rows of mounting rails: |
| | SZP/MX50N0/2D 00/23SS | 2000 x 1020 x 500 | 5 rows with PW4 containers, 3 psc. of containers in each row (altogether 15 pcs. of PW4 containers on each door), 5 rows with PW5 containers, 4 psc. of containers in each row (altogether 20 pcs. of PW4 containers on each door) Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. |
| Workshop cabinet with 1 | oanel, 3 adjustable s | helves and 4 dr | awers 100H |
| | SZP/MX43N0/2D 00/24SS | 2000 x 1020 x 435 | Mounting rails inside the cabinet are suitable to mount (by means of steel channel bars): - 1 tools panel, - 3 adjustable shelves, |
| | SZP/MX50N0/2D 00/24SS | 2000 x 1020 x 500 | 4 drawers, each is 100 mm high. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. |
| Workshop cabinet with 2 adjustable shelves, 1 permanently fixed shelf, 2 drawers 100H and 2 drawers 200 mm H | | | |



| | SZP/MX43N0/2D 00/25SS SZP/MX50N0/2D 00/25SS | 2000 x 1020 x 435 2000 x 1020 x 500 | Mounting rails inside the cabinet are suitable to mount (by means of steel channel bars): - 2 adjustable shelves, - 1 permanently fixed shelf (shelf for drawers) - 2 drawers, each is 100 mm high. - 2 drawers, each is 200 mm high. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. |
|---------------------------|--|--|---|
| workshop cabinet with 2 a | aujustable sheives, 1 | . permanentiy fi | ixed shelf, 2 drawers 100H and 1 drawer 200 mm H |
| 6 | SZP/MX43N0/2D 00/03SS | 2000 x 1020 x 435 | Mounting rails inside the cabinet are suitable to mount (by means of steel channel bars): - 2 adjustable shelves, - 1 permanently fixed shelf (shelf for drawers) - 2 drawers, each is 100mm high, |
| | SZP/MX50N0/2D 00/03SS | 2000 x 1020 x 500 | - 1 drawer 200 mm high. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. |
| Workshop cabinet with 1 | panel, 2 adjustable | shelves, 1 perm | anently fixed shelf, 2 drawers 100H and 1 drawer 200 mm H |
| | SZP/MX43N0/2D 00/12SS | 2000 x 1020 x 435 | Mounting rails inside the cabinet are suitable to mount (by means of steel channel bars): - 1 tools panel, - 2 adjustable shelves, - 1 permanently fixed shelf (shelf for drawers) - 2 drawers, each is 100 mm high, |
| | SZP/MX50N0/2D 00/12SS | 2000 x 1020 x 500 | - 1 drawer 200 mm high. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. |
| Workshop cabinet with 2 | drawers 200 mm H a | and 14 drawers | 100 mm H |
| | SZP/MX43N0/2D 00/2S14S | 2000 x 1020x 435 | Panels inside the cabinet are suitable to mount: - 2 drawers, each is 200mm high, - 14 drawers, each is 100mm high,. |
| | SZP/MX50N0/2D 00/2S14S | 2000 x 1020 x 500 | Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. |

Page 102

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

⊠ techmark@techmark.com.pl



| G | SZP/MX43N0/2 DOR/26SS | 2000 x 1020 x 435 | Mounting rails inside the cabinet are suitable to mount (by means of steel channel bars): - 1 tools panel, - 2 adjustable shelves, - 1 permanently fixed shelf (shelf for drawers) - 4 drawers, each is 80 mm high, | | | |
|---------|---|---|--|--|--|--|
| | SZP/MX50N0/2 D0R/26SS | 2000 x 1020 x 500 | - 2 drawers 150 mm high. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. | | | |
| wo | WORKSHOP CABINETS FOR CHEMICAL SUBSTANCES | | | | | |
| - 🛒 🏢 - | Ca | | onths warranty, whereas the locks are covered by 12-months anty. | | | |
| | livered cabinets are o | | vith all RAL colours. mbled, still shelves need to be mounted. | | | |
| | SKU | completely asser | | | | |
| | SKU | DIMENSIONS [mm] Hx W x D (WEIGHT kg]) | mbled, still shelves need to be mounted. | | | |
| | SKU | DIMENSIONS [mm] Hx W x D (WEIGHT kg]) | mbled, still shelves need to be mounted. ADDITIONAL DESCRIPTION | | | |
| | SKU mical substances wi | DIMENSIONS [mm] Hx W x D (WEIGHT kg]) th collecting tra 2000 x | ADDITIONAL DESCRIPTION γ, shelves and connection port Doors are provided with openings to draw the outside air into the cabinet. | | | |

 $_{\rm Page}103$



| | | | Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. |
|--------------------|--------------------------|----------------------|---|
| | | | |
| | Workshop cabinet | for chemical s | ubstances with zinc plated shelves |
| रा स्रा स्रा | | | Workshop cabinet for chemical and flammable substances. Mounting rails inside the cabinet are suitable to mount (by means of steel channel bars): - 4 adjustable full zinc plated shelves with edges on all sides. |
| | WK/INN/TECH/O -LG-021 | 2000 x 1000 x 500 | The cabinet is provided with a collecting clay. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. Colors: Casing + shelves RAL 7035 Doors RAL 1003 |
| | WK/INN/TECH/O -BG-039 | 1050 x 1000 x 500 | Workshop cabinet for chemical and flammable substances. Mounting rails inside the cabinet are suitable to mount (by means of steel channel bars): - 2 adjustable full zinc plated shelves with edges on all sides. The cabinet is provided with a collecting clay. Doors are mounted on 3 solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system. Colors: Casing + shelves RAL 7035 |
| | | | Doors RAL 1003 |

 $P_{age}104$



STANDS FOR WORKSHOP CONTAINERS Reinforced metal frame makes the stands for containers particularly stable and resistant to heavy loads. The frame is made of full steel profiles 20 x 40, which are 1.50 [mm] thick, other parts of the frame is made of 2.0 [mm] thick metal sheet. Metal hooks, onto which durable, polypropylene containers of different size are hung, are screwed to the frame. Containers are made of durable polypropylene, which make them impact resistant, as well as resistant to most chemical compounds, acids and machine oil. Containers can be provided with labels and compartments. Stands are single- or double-sided, and are equipped with levelling feet. Optionally stands can be provided with 4 wheels of 100 mm diameter (front wheels with brakes) to make their transportation easier. Our products are covered by 24-months warranty, whereas the locks are covered by 12-months warranty. Stands can be painted with all RAL colours. They need to be assembled. DIMENSIONS [mm] SKU ADDITIONAL DESCRIPTION HxWxD (WEIGHT [kg]) Single-sided workshop stands 40 containers of PW 4 type - 0.5 | capacity, D157 x W101 x H74 [mm] - are hung in rows I-V. . 18 containers of PW 3 type - 1.6 | capacity, D224 x SWJ 1 1400 x 940 x 395 W144 x H108 [mm] - are hung in rows VI-VIII . 4 containers of PW 2 type - 4 I capacity, D314 x W202 x H148 [mm] - are hung in row IX. . 16 containers of PW 4 type - 0.5 l capacity, D157 x W101 x H74 [mm] - are hung in rows I-II. . 24 containers of PW 3 type - 1.6 | capacity, D224 x SWJ 2 1560 x 940 x 395 W144 x H108 [mm] - are hung in rows III-VI. 12 containers of PW 2 type - 4 l capacity, D314 x W202 x H148 [mm] - are hung in rows VII-IX. 16 containers of PW 4 type - 0.5 l capacity, D157 x W101 x H74 [mm] - are hung in rows I-II. SWJ 3 1540 x 940 x 395 48 containers of PW 3 type - 1.6 | capacity, D224 x W144 x H108 [mm] - are hung in rows III-X.

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

🖂 techmark@techmark.com.pl % (+ 48) 42 712 17 95

NIP (Tax ID): 726-000-22-12 REGON: 470513221



| Double-sided workshop sta | ands | | |
|---------------------------|-------|-------------------------|---|
| | SWD_1 | 1400 x 940 x 395 | On both sides: - 40 containers of PW 4 type - 0.5 I capacity, D157 x W101 x H74 [mm] - are hung in rows I-V altogether 80 containers of PW 4 type. - 18 containers of PW 3 type - 1.6 I capacity, D224 x W144 x H108 [mm] - are hung in rows VI-VIII - altogether 36 containers of PW 3 type. - 4 containers of PW 2 type - 4 I capacity, D314 x W202 x H148 [mm] - are hung in row IX altogether 8 containers of PW 3 type. |

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN STANDS FOR WORKSHOP CONTAINERS

4 casters, including 2 casters with a brake

 $P_{age}106$

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

⊠ techmark@techmark.com.pl



| TYPES OF MOUNTS FOR THE WORKSHOP CABINETS | | | | |
|---|---|--|--|--|
| | Mount ACC1 - galvanised for tubular spanners | | | |
| a a a | Mount ACC2 - galvanised for open ended spanners | | | |
| | Mount ACC3 - galvanised for screwdrivers | | | |
| | Mount ACC4 - galvanised for drills | | | |
| E C | Mount ACC7 - galvanised universal 100 mm type "C" | | | |
| C C | Mount ACC5 - galvanised universal 160 mm type "C" | | | |
| | Mount ACC6 - galvanised universal 200 mm type "C" | | | |
| | Mount ACC8 - galvanised universal 100 mm type "UW" | | | |
| | Mount ACC10 - galvanised universal 150 mm type "UW" | | | |

Page 107

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12

REGON: 470513221



| E E | Mount ACC9 - galvanised universal 200 mm type "UW" |
|-----|--|
| | Mount ACC11- galvanised universal |
| | Mount ACC12 - galvanised universal 100 mm type "L" |
| | Mount ACC13 - galvanised universal 150 mm type "L" |
| | Mount ACC14 - galvanised universal 200 mm type "L" |
| | Mount ACC15 - galvanised universal single type "H" |
| | Mount ACC16 - galvanised universal double type "H" |
| | Mount ACC17 for documents, to be hung on perforated boards 83 H x 125 W x 15 D |

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12
 REGON: 470513221



| | Galvanised mount ACC18 to mount plastic container of "IV" type |
|--------------------------------|---|
| TYPES OF CONTAINERS FOR THE WO | RKSHOP FURNITURE |
| | PW1- container of approx. 12 dm ³ capacity with the following external dimensions (I) 440 x 285 x 210 [mm] (D x W x H) |
| | PW2- container of approx. 4 dm ³ capacity with the following external dimensions (II) 314 x 202 x 148 [mm] (D x W x H) |
| | PW3- container of approx. 1.6 dm ³ capacity with the following external dimensions (D x W x H) 224 x 144 x 108 [mm] |
| | PW4 - container of approx. 0.5 dm ³ capacity with the following external dimensions (D x W x H) 157 x 101 x 74 [mm] |
| | PW5 - container of approx. 0.2 dm ³ capacity with the following external dimensions (D x W x H) 119 x 77 x 56 [mm] |
| | PW6 - container of approx. 0.9 dm ³ capacity with the following external dimensions (D x W x H) 140 x 203 x 74 [mm] |

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl S (+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12

REGON: 470513221



| COMPUTER + COMPUTER WITH LCD MONITOR CABINETS | | | | | |
|---|---|---|---|--|--|
| 6 | The cabinet is provided with 3 separately locked sections: 1. section for monitor 2. a drawer for a keyboard and a computer mouse, 3. a locker with a drawer for central unit and a place for printer. Each section is separately locked with a key-lock. The cabinet is provided with a power strip and cables. | | | | |
| | Back wall is pr | ovided with 2 | openings (in top and bottom part of the cabinet) for power leads. Vents are provided on the side wall. | | |
| | | | et can be optionally custom made to meet the client's needs; we ame for touch screen, as specified in the client's instructions. | | |
| | Our produc | | l by 24-months warranty, whereas the locks are covered by 12- months warranty. Cabinets painted with all RAL colours. | | |
| | SKU | Deli DIMENSIO NS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | |
| 53 | SzK1 LCD | 1496 (1624 with casters; 1596 with stands) x 605 x 635 (80) | top section of the cabinet with plexiglass or glass front (antireflection acrylic glass) and a flap is suitable for LCD monitor, according to VESA standard (17-22 inches). Maximum opening dimensions in the door: 495 mm wide x 614 mm high), perforated wall in the top section provides suitable ventilation in the compartment with the monitor, a monitor is fastened to the cabinet by means of a mounting plate, which is first screwed to the monitor, and then mounted on the perforated wall in the top section, a drawer for a keyboard and a computer mouse (a drawer is 82 mm high) and a bottom retractable shelf are both mounted on the telescopic ball slides (with a stop, which prevents the drawer/shelf from falling out of the cabinet) providing smooth and easy extension. a shelf in the bottom section of the cabinet can be mounted on a chosen height. | | |
| | SzK2 LCD | 1756 x 647 x 634 | The cabinet is provided with 3 separately locked sections: 1. top section with a plexiglass front for a monitor: - casing (652 H x 580 W x 300 D) is suitable to place LCD monitor up to 23 inches, 2. a drawer for a keyboard and a computer mouse: - fully extendible drawer is mounted on the telescopic ball slides (with a stop, which prevents the drawer from falling out of the cabinet), 3. bottom locker with a shelf (adjustable every 25 mm) for a | | |

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| | | | Each section is separately locked with a key-lock. |
|-----------|----------|--------------------------------|--|
| | | | The cabinet is provided with 1 opening in the bottom of a |
| | | | monitor casing and 1 opening in the back wall of the furniture, |
| | | | both designed for power leads. |
| | | | |
| | | | The cabinet is provided with 4 screwed stands M10. |
| | | | top section of the cabinet with plexiglass or glass front (anti- |
| | | | reflection acrylic glass) and a flap is suitable for LCD monitor, |
| | | | according to VESA standard (17-22 inches). Maximum opening |
| | | | in the door: 495 mm wide x 614 mm high), |
| | | 1496 | - perforated wall in the top section provides suitable ventilation |
| line tril | | (1624 with | in the compartment with the monitor, |
| | SzK3 LCD | casters; | monitor is fastened to the cabinet by means of a mounting |
| | | 1596 with | plate, which is first screwed to the monitor, and then mounted |
| | | stands) x | on the perforated wall in the top section, |
| | | 605 x 635 | - a drawer for a keyboard and a computer mouse and a bottom |
| | | (80) | retractable shelf are both mounted on the telescopic ball slides |
| | | | (with a stop, which prevents the drawer/shelf from falling out |
| | | | of the cabinet) providing smooth and easy extension. |
| | | | - a shelf is the bottom section of the cabinet can be mounted |
| | | | on a chosen height. |
| | | | top section of the cabinet with plexiglass or glass front (anti- |
| | SzK1 | 1570 | reflection acrylic glass) is suitable to place LCD monitor up to 22 |
| | | (1698 with | inches, |
| | | casters; | a drawer for a keyboard and a computer mouse (a drawer is |
| | | 1580 with | 77 mm high) and a bottom retractable shelf are both mounted |
| | | | on the telescopic ball slides (with a stop, which prevents the |
| | | stands) x 605 x 635 (70) | drawer/shelf from falling out of the cabinet) providing smooth |
| | | | and easy extension. |
| | | (70) | - a shelf is the bottom section of the cabinet can be mounted |
| | | | on a chosen height. |



www.techmark.com.pl/en

techmark@techmark.com.pl

S (+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12 REGON: 470513221

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki



| ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN THE COMPUTER CABINETS |
|--|
| Levelling feet (4 pcs.) |
| Stands 100 mm high (4 pcs.) |
| 4 casters, including 2 casters with brake |
| Small service (revision) door locked with a key lock and provided with plexiglass insert mounted on the front or side wall of the cabinet (300 mm H x 300 mm W). |
| Cabinets seal (rubber gaskets and brush seals) with cable passages. |
| Adjustment of the top door of the cabinet provided with a rubber gasket to house LCD touch screen (does not apply to SzK1) |
| 5-socket power strip |
| A fan with a filter to cool the cabinet's interior (drawing out the air) |
| A handle for cabinet transportation |
| Extra shelf for storing documents (does not apply to SzK1) |

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl S (+ 48) 42 712 17 95 NIP (Tax ID): 726-000-22-12 REGON: 470513221



| | I | HIGH LAPTOP CA | ABINETS | | | | | |
|-------------|---|--------------------------------------|--|--|--|--|--|--|
| | best suited | to hotels, conference roc | npartment can be used separately, which is why they are oms, or training facilities. Each computer is placed in a ent, which can be also fitted with a power socket. | | | | | |
| | | Standard equipment includes: | | | | | | |
| | - welded stru | cture of the laptop cabin | ets is made of full profiles,- each compartment is locked | | | | | |
| | with | a change key with 1-poin | t locking, being a part of master keying system, | | | | | |
| | | - each compartment doo | r is provided with a place for an identifier, | | | | | |
| | - to ensure t | the best possible airflow, | cabinets are provided with ventilation holes inside the | | | | | |
| | | compartn | nents and on the back wall, | | | | | |
| | - openings | s in the back and side wal | ls can be used to mount the cabinet on a wall, which | | | | | |
| | | eliminates the risk of falling down. | | | | | | |
| | Cabinets come in two versions: a variant without electrical connections and a version that c | | | | | | | |
| | be used at ~230V, which can simultaneously charge the batteries of all devices stored inside. | | | | | | | |
| | Our products are covered by 24-months warranty, whereas the locks are covered by 12-month warranty. | | | | | | | |
| | | , | painted with all RAL colours. | | | | | |
| | | Delivered cabi | inets are completely assembled. | | | | | |
| | ѕки | H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | | | | |
| and a house | SzLP 10K1 | 1800 x 400 x 500 (58) | No power supply | | | | | |
| | SzLP 10K2 | 1800 x 920 x 500 (115) | No power supply | | | | | |

| ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN THE LAPTOP CABIN | ETS |
|--|-----------|
| Levelling feet (4 pcs.) | |
| Stands 100 mm high (4 pcs.) | |
| 4 casters, including 2 casters with brake | |
| Coded lock with 1-point locking (1 pc.) | |
| 10-socket power strip, which powers each compartment separately (does not apply to | SzL 10K2) |
| Door stop (1 pc.) | |



TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| | LAPTOP CARTS |
|---|--|
| | Low cabinets with hinged doors and carts for laptops, tablets, mobiles, etc. |
| | Low cabinets and carts are designed for safe storing and charging of electrical devices. |
| - | They are offered as 1-, 2- or 3-column cabinets; the number of power strips corresponds the number of columns. |
| | - massive structure with double hinged doors, |
| | doors are mounted on solid external hinges and are locked with a key lock with a hand wheel, with 3-point locking system, |
| | - the cabinet is provided with one 230 V 10A power socket; main switch is placed on the side wall of the furniture, |
| | power strips (whose number corresponds to the number of columns) are placed inside the cabinet, |
| | - inside the cabinet there are multi-tier compartments, each of which has a dedicated separate socket on the power strip, hence all devices stored in the cabinet can be simultaneously charged, |
| | - a top made of laminated plate in grey colour (25 mm thick) is mounted on the cabinet, |
| | - handles for cabinet transportation are located on both side walls, |
| | - the cabinet is provided with 4 casters, 2 of which have brakes, |
| | side walls of the cabinet are provided with ventilation openings to cool electronic devices stored inside. |
| | All carts are granted declaration of conformity with 2001/95/EC Directive on general product safety. |
| | Our products are covered by 24-months warranty. Cabinets painted with all RAL colours. Delivered cabinets are completely assembled, still casters need to be mounted. |

TECHMARK L. Ogłoza, S. Zdziechowski sp. j.

Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

☑ techmark@techmark.com.pl
 𝔅 (+ 48) 42 712 17 95



| | | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION |
|------------|------------------|--------------|---|--|
| | 16 – compartment | | | |
| | | WLPZ 8K2 | 1085 x 920 x 550 (87) | 2 columns with 8 compartments each, 2 power strips with 8 sockets each |
| | 20 – compartment | | | |
| | | WLPZ 10K2 | 1250 x 920 x 550 (100) | 2 columns with 10 compartments each, 2 power strips with 10 sockets each |
| | 26 – compartment | | | |
| 2 – column | | WLPZ 13K2 | 1540 x 920 x 550 (125) | 2 columns with 13 compartments each, 2 power strips with 13 sockets each |
| | 30 – compartment | | | |
| 3 - column | | WLPZ 10K3 | 1250 x 1310 x 550 (165) | 3 columns with 10 compartments each, 3 power strips with 10 sockets each EC Declaration of Conformity Maximum power 3680W |

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN THE LAPTOP CARTS

Stands 100 mm high

Coded lock with 3-point locking

 $_{\rm Page} 115$

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

🖂 techmark@techmark.com.pl



| | | R | ACKS | |
|-------------------------|---|---|---|--|
| | Our offer includes also racks assembled with screws or catches. Our products are covered by 24-months warranty, whereas the locks are covered by 12- months warranty. Racks painted with all RAL colours. Delivered racks are completely assembled, still shelves need to be mounted. | | | |
| | SKU | DIMENSIO NS [mm] H x W x D of the rack/ D of the shelf (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | |
| Racks assembled with se | crews | | | |
| | RGŁ SK/2000/410 /5P | 2000 x 1020 x 410/ 390 (32) | perforated stands made of sheet metal 2 mm thick with the following dimensions 58 mm x 45 mm. shelves (1000 mm wide) made of sheet metal 1 mm thick 5 shelves, each of maximum load bearing capacity 100 kg | |
| | RGŁ SK/2000/510 /5P | 2000 x 1020 x 510/ 490 (37) | shelves are fastened to the stands by means of 3 screws on each corner a rack is provided with a set of angle braces, in order to increase its stability | |
| | RGŁ SK/2000/610 /5P | 2000 x 1020 x 610/ 590 (40) | Maximum allowable load on the completely assembled rack with angle braces (regardless of the number and types of shelves) - 600 kg | |
| 1 | RGŁ SK/2500/410 /6P | 2500 x 1020 x 410/ 390 (36) | perforated stands made of sheet metal 2 mm thick with the following dimensions 58 mm x 45 mm. shelves (1000 mm wide) made of sheet metal 1 mm thick 6 shelves, each of maximum load bearing capacity 100 kg | |
| | RGŁ SK/2500/510 /6P | 2500 x 1020 x 510/ 490 (40) | shelves are fastened to the stands by means of 3 screws on each corner a rack is provided with a set of angle braces, in order to increase its stability | |
| | RGŁ SK/2500/610 /6P | 2500 x 1020 x 610/ 590 (44) | Maximum allowable load on the completely assembled rack with angle braces (regardless of the number and types of shelves) - 600 kg | |
| Racks assembled with ca | atches | | | |
| | RGŁ ZP/2000/392 /5P | 2000 x 1070 x 392/ 390 (32) | - Simple assembly without screws - perforated frame/stands with rectangular cross-section made of sheet metal 1 mm thick with the following dimensions 30 mm x 35 mm - shelves (1000 mm wide) made of sheet metal 1 mm thick | |

Page 116

TECHMARK L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

⊠ techmark@techmark.com.pl



| | RGŁ ZP/2000/492 /5P | 2000 x 1070 x 492/ 490 (37) | - 5 shelves, each of maximum load bearing capacity 100 kg - shelves mounted by means of steel hooks - shelves adjustable every 25 mm - a rack is provided with a set of angle braces, in order to increase its stability - racks can be coupled by means of common angle braces |
|--|---------------------------|--------------------------------------|---|
| | RGŁ ZP/2000/592 /5P | 2000 x 1070 x 592/ 590 (50) | Maximum allowable load on the completely assembled rack with angle braces (regardless of the number and types of shelves) - 600 kg |
| | RGŁ ZP/2500/392 /6P | 2500 x 1070 x 392/ 390 (35) | Simple assembly without screws perforated frame/stands with rectangular cross-section made of sheet metal 1 mm thick with the following dimensions 30 mm x 35 mm shelves (1000 mm wide) made of sheet metal 1 mm thick |
| | RGŁ ZP/2500/492 /6P | 2500 x 1070 x 492/ 490 (41) | 6 shelves, each of maximum load bearing capacity 100 kg - shelves mounted by means of steel hooks - shelves adjustable every 25 mm - a rack is provided with a set of angle braces, in order to increase its stability |
| | RGŁ ZP/2500/592 /6P | 2500 x 1070 x 592/ 590 (53) | racks can be coupled by means of common angle braces Maximum allowable load on the completely assembled rack with angle braces (regardless of the number and types of shelves) - 600 kg |

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN RACKS ASSEMBLED WITH SCREWS OR CATHES

1 extra shelf 390 deep with allowable maximum load 100 kg

1 extra shelf 490 deep with allowable maximum load 100 kg

1 extra shelf 590 deep with allowable maximum load 100 kg

1 extra shelf with reinforcement 390 deep with allowable maximum load 150 kg $\,$

1 extra shelf with reinforcement 490 deep with allowable maximum load 150 kg $\,$

1 extra shelf with reinforcement 590 deep with allowable maximum load 150 kg $\,$

Surcharge to reinforcement of 5 shelves in RGŁ SK/2000/390/5P, RGŁ SK/2000/490/5P and RGŁ SK/2000/590/5P, as well as RGŁ ZP/2000/390/5P, RGŁ ZP/2000/490/5P and RGŁ ZP/2000/590/5P

Surcharge to reinforcement of 6 shelves in RGŁ SK/2500/390/6P, RGŁ SK/2500/490/6P and RGŁ SK/2500/590/6P, as well as RGŁ ZP/2500/390/6P, RGŁ ZP/2500/490/6P and RGŁ ZP/2500/590/6P

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

🖂 techmark@techmark.com.pl



| | | MEDICAL | CABINETS | | |
|---|--|---|--|--|--|
| Hinged doors are provided with reinforced inner profile, the doors (and side walls of the cabinet) are provided with safety glass 4.2 [mm] thick, | | | | | |
| | doors are locked with a key lock with a hand wheel, with 2-point locking system Perforated profiles inside the cabinet are provided to adjust the shelf height every 25 mm. shelves made of safety tempered glass 6 [mm] thick, shelves are placed on steel brackets covered with felt. | | | | |
| | | Ca | v 24-months warranty, whereas the locks are covered by 12- months warranty. binets painted with all RAL colours. | | |
| | Delive | | completely assembled, still shelves need to be mounted. | | |
| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | |
| 1-door cabinet with glass door | | | | | |
| | SLA 1H 600/OP | 1800 X 600 X 435 (60) | 4 adjustable shelves | | |
| 1-door cabinet with glass door | | | | | |
| U D | | | Top section (external dimensions W 600 mm x H 1133 mm x D 435 mm): - 1-door with safety glass 4.2 mm thick (glass dimensions: 202 mm x 1003 mm) | | |
| | SLA DH 600/OD | 1800 x 600 x 435 (61) | - 3 glass shelves, adjustable every 25 mm Bottom section (external dimensions W 600 mm x H 495 mm x D 435 mm; useful dimensions H 495 mm x W 550 x D 395 mm): full hinged door, 1 glass shelf, adjustable every 25 mm Doors locked with a key lock with a hand wheel, with 2-point locking system, | | |

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| 2-door cabinet with glass doo | 2-door cabinet with glass door | | | |
|-------------------------------|--------------------------------|----------------------------------|--|--|
| | SLA 2H 800/OP | 1800 x 800 x 435 (85) | 4 adjustable shelves | |
| 2-door cabinet with complete | e glass door | | | |
| a | SLA 2H 800/OH | 1800 x 800 x 435 (85) | | |
| | SLA 2H 1000/OH | 1800 x 1000 x 435 (105) | 4 adjustable shelves | |
| 2-door cabinet with glass doo | or and a locker | | | |
| | SLA DH 800/OD | 1800 x 800 x 435 (85) | Top section: - 2-doors, with safety glass 4.2 mm thick, - 3 glass shelves, adjustable every 25 mm Bottom section (useful dimensions [mm]: 495 H x 459 W x 395 D) - full hinged door, - 1 glass shelf, adjustable every 25 mm Doors locked with a key lock with a hand wheel, with 2-point locking system, | |

ADDITIONAL EQUIPMENT OPTIONS AVAILABLE IN MEDICAL CABINETS

4 casters, including 2 casters with brake

Stands 100 mm H (4 pcs.)

Levelling feet (4 pcs.)

UV printing on the glass (1 pc of printing)

 $_{\rm Page} 119$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95
 NIP (Tax ID): 726-000-22-12
 REGON: 470513221



| WALL-MOUNTED MEDICAL CUPBOARDS | | | | | |
|--------------------------------|---|-------------|---|---|--|
| | Our products are covered by 24-months warranty. Cupboards painted with all RAL colours. Delivered cupboards are completely assembled, still shelves need to be mounted. | | | | |
| | | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | |
| Cupt | ooard with single hinged d | oor | | | |
| |) | SMW 400 | 500 x 400 x 250 (10) | Wall-mounted cupboard with single hinged door, a handle and a magnetic latch, A cupboard is provided with two shelves made of safety glass mounted on a permanently fixed angle brackets, Back wall is provided with openings to mount the cupboard on the wall. | |
| Wall | -mounted cupboard with | sliding doo | r | | |
| 800 | 1 | SMW 800 | 500 x 800 x 250 | Cupboard with sliding doors mounted on guide rails, - doors are provided with handles to slide the doors, - shelves made of safety tempered glass 6 [mm] thick, giving | |
| 1000 | | SMW 1000 | 500 x 1000 x 250 (30) | clear access to the content, shelves are mounted on a permanently fixed angle brackets, - back wall is provided with openings to mount the cupboard on the wall. | |

 ${}^{\rm Page}120$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en

techmark@techmark.com.pl S (+ 48) 42 712 17 95

NIP (Tax ID): 726-000-22-12 REGON: 470513221



| FREE-STANDING MEDICAL CUPBOARDS | | | | | | |
|---------------------------------|---|---|--|--|--|--|
| | A cupboard is provided with a base unit of 81 mm, while mounting rails inside the cupboard are provided to adjust the shelf height every 25 mm, | | | | | |
| a a a | Hinged doors are provided with reinforcing inner profile, | | | | | |
| - | Doors are provided with internal hinges, giving free access to the furniture interior, | | | | | |
| | Doors are | e locked with | a key lock with a hand wheel, with 3-point locking system, | | | |
| | L | aminated top | is fastened from its bottom side to the cupboard, | | | |
| | A cupboard is provided with levelling feet. | | | | | |
| | Our products are covered by 24-months warranty. Cupboards painted with all RAL colours. | | | | | |
| | Delivered | - | re completely assembled, still shelves need to be mounted. | | | |
| | SKU | DIMENSI ONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | | |
| | SMS 745 | 745 x 500 x 420 (20) | 1 adjustable shelf | | | |
| | SMS 1030 | 1030 x 500 x 420 (25) | 2 adjustable shelves | | | |
| | SMS 1315 | 1315 x 500 x 420 (30) | 3 adjustable shelves | | | |
| | SMS 1600 | 1600 x 500 x 420 (35) | 1 adjustable shelf with a rail and hooks | | | |

 $_{\rm Page}121$

www.techmark.com.pl/en

techmark@techmark.com.pl
 (+ 48) 42 712 17 95



| MEDICAL DESK | | | | | |
|--------------|---|--|--|--|--|
| | Frame in the medical desks is made of full steel profiles with quadrangle cross-section, and is provided with levelling feet. | | | | |
| | Kidney-shaped table-top 25 mm thick is coated with grey laminate. | | | | |
| | A desk is provided with 1 metal perforated front blinder and 2 metal side blinders. | | | | |
| | Our products are covered by 24-months warranty. | | | | |
| | | Desks | are painted with all RAL colours. | | |
| | | Delivered desks ne | ed to be assembled, top needs to be mounted. | | |
| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | | |
| | BL1 | 740 x 1800 x 800 (44) | | | |

Page 122

TECHMARK L. Ogłoza, S. Zdziechowski sp. j.

Piotrkowska 10/12 95-070 Aleksandrów Łódzki www.techmark.com.pl/en

techmark@techmark.com.pl



| MEDICAL FILE CABINETS | | | | |
|------------------------------|---|---|------------------------|--|
| | Our products are covered by 24-months warranty. Cabinets are painted with all RAL colours. Delivered cabinets are completely assembled, still shelves need to be mounted. | | | |
| | SKU | DIMENSIONS [mm] H x W x D (WEIGHT [kg]) | ADDITIONAL DESCRIPTION | |
| 2-doors medical file cabinet | - | | | |
| | SZAM 2D800/400 | 2000 x 800 x 420 (55) | | |
| | SZAM 2D1000/400 | 2000 x 1000 x 420 (60) | 4 adjustable shelves | |
| | SZAM 2D1200/400 | 2000 x 1200 x 420 (70) | | |

 $P_{age}123$

TECHMARK

L. Ogłoza, S. Zdziechowski sp. j. Piotrkowska 10/12 95-070 Aleksandrów Łódzki

www.techmark.com.pl/en techmark@techmark.com.pl